

52.60/9:14/53

COMMUNICABLE DISEASE CENTER

Morbidity and Mortality



Vol. 14, No. 53

WEEKLY
REPORT

ANNUAL SUPPLEMENT Summary 1965

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE

PUBLIC HEALTH SERVICE

FOR RELEASE
OCTOBER 14, 1966

REPORTED INCIDENCE OF NOTIFIABLE DISEASES IN THE UNITED STATES, 1965


ENCEPHALITIS IN 1965

A total of 2,703 cases of encephalitis were reported in the United States for the year 1965. Surveillance activities within the States, including epidemiologic follow-up of cases reported by attending physicians and laboratory tests on blood specimens, showed that for 297 cases, the etiologic agents were arthropod-borne viruses — Eastern, Western, St. Louis and California.

In 981 cases, encephalitis was a complication or sequela of mumps, measles (rubeola), chickenpox, rubella and other infections.

For almost half the cases (1,425), the etiologic agent or cause remains unknown.

The number of cases reported by month for the three classifications, arthropod-borne, post-infectious, and etiology unknown, for 1965, are shown in the chart below.



INDEX OF TABLES

	<u>Page</u>
Table 1. Diseases Covered by International Quarantine Agreement	3
Table 2. Reported Cases of Specified Notifiable Diseases: United States, 1956-65	4
Table 3. (A) Deaths from Specified Notifiable Diseases: United States, 1955-64	5
(B) Deaths from Selected Non-Notifiable Acute Diseases: United States, 1955-64	6
Table 4. Reported Cases of Notifiable Diseases by Month: United States, 1965	7
Table 5. Reported Cases of Notifiable Diseases: United States, by Geographic Division, by State, 1965	8
Table 6. Newly Reported Cases of Venereal Diseases: United States, by Geographic Division, by State, Age, Sex, and Race, (Civilian Cases only), 1965	13
Table 7. Rabies in Man and Animals, by State, by Type of Animal, United States, 1965	14
Table 8. Reported Cases of Selected Notifiable Diseases by State, by Age, 1965	15
Table 9. Reported Cases of Selected Notifiable Diseases by State, by Month, 1965	21
Table 10. Acute Diseases Optionally Reported to the Public Health Service, by State, 1965	24
Table 11. Other Diseases Optionally Reported (Diseases reported by more than one, but less than 10 States)	26
Table 12. Number of Deaths by Place of Occurrence in 122 United States Cities for Year 1965	27
Disease Trends	28-59

EXPLANATION OF SYMBOLS USED IN TABLES

Data not available -----	...
Quantity zero -----	-
Report of disease not required by State Health Department-----	NN

TABLE 1. REPORTED INCIDENCE OF DISEASES COVERED BY INTERNATIONAL QUARANTINE AGREEMENT
1956 - 1965

International Classification of Diseases Covered		Number Reported									
		1965	1964	1963	1962	1961	1960	1959	1958	1957	1956
043	Cholera	2	—	—	—	—	—	—	—	—	—
058	Plague	8	—	1	—	3	2	4	—	1	1
071.0	Louse-borne relapsing fever	—	—	—	—	—	—	—	—	—	—
084	Smallpox	—	—	—	—	—	—	—	—	—	—
091	Yellow fever	—	—	—	—	—	—	—	—	—	—
100	Louse-borne epidemic typhus	—	—	—	—	—	—	—	—	—	—

CASES OF QUARANTINABLE DISEASES IN 1965

Place Acquired	Date	Age	Sex	Outcome
CHOLERA				
Laboratory	June	32	Male	Recovered
	July	42	Male	Recovered
PLAGUE				
New Mexico Sylvatic outbreak	June	3	Female	Recovered
	July	2	Male	Recovered
	July	9	Male	Recovered
	August	4	Female	Recovered
	August	3	Female	Recovered
	August	3	Male	Recovered
	August	14	Male	Fatal, August 27, New Mexico
California	September	5	Male	Recovered

SOURCES OF DATA

This Supplement carries final figures on the reported incidence of notifiable diseases in 1965 based on summaries submitted by the individual States and Territories through the National Morbidity Reporting System except for the data on incidence of tuberculosis, collected by the Tuberculosis Branch, venereal diseases collected by the Venereal Disease Branch, and encephalitis gathered by the Encephalitis Surveillance Unit, of the Communicable Disease Center.

Data obtained by the Tuberculosis and Venereal Disease Branches have been published in the Supplement in prior years. The data for encephalitis in the current

issue have been derived from special summary reports devoted exclusively to encephalitis and its various manifestations.

The illustrative materials depicting disease trends are for the most part based on charts and graphs carried in the 1965 issues of the Morbidity and Mortality Weekly Report. The data are from the National Morbidity Reporting System, National Surveillance Programs, and the National Vital Statistics Division. The population estimates used in computation of rates are from the Bureau of the Census, Current Population Reports, Series P-25.

TABLE 2. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, 1956 - 1965

DISEASE	1965	1964	1963	1962	1961	1960 ¹	1959 ¹	1958 ¹	1957 ¹	1956 ¹
Amebiasis	2,768	3,304	2,886	3,048	2,850	3,424	3,508	4,380	5,031	3,689
Anthrax	7	5	3	9	14	23	12	16	26	38
Aseptic meningitis	2,329	2,177	1,844	2,654	5,162	1,593	20not previously reportable nationally.....	28	17
Botulism	19	23	47	10	14	12	892	924	983	1,300
Brucellosis (undulant fever)	262	411	407	409	636	751	934	918	1,211	1,568
Diphtheria	164	293	314	444	617	918	934	918	1,211	1,568
Encephalitis, primary infectious ²	1,722	2,002	1,993	2,094	2,248	2,341	2,437	2,587	2,135	2,624
Encephalitis, post-infectious ²	981	1,585	42,974	53,016	72,651	41,666	23,574	16,294	14,922	19,234
Hepatitis, infectious and serum	33,836	37,740	103	80	63	54	39	44	36	52
Leptospirosis	84	142	89	79	71	53	83	55	47	44
Malaria	147	93	99	118	73	72	71	85	132	234
Measles	261,904	458,083	385,156	481,530	423,919	441,703	406,162	763,094	486,799	611,936
Meningococcal infections	3,040	2,826	2,470	2,150	2,232	2,259	2,180	2,581	2,691	2,735
Pertussis (whooping cough)	6,799	13,005	17,135	17,749	11,468	14,809	40,005	32,148	28,295	31,732
Polymyositis, total	72	122	449	910	1,312	3,190	8,425	5,787	5,485	15,140
Paralytic	61	106	396	762	988	2,525	6,289	3,697	2,499	7,911
Nonparalytic	10	12	52	139	305	626	2,045	1,941	2,826	6,555
Unspecified	1	4	1	9	19	39	91	149	160	674
Psittacosis	60	53	76	79	102	113	147	158	278	568
Rabies in man ³	2	1	1	2	3	2	7	5	5	10
Rheumatic fever, acute ⁴	4,998	7,491	7,561	7,977	10,470	9,022	8,285	6,889	6,427	6,562
Salmonellosis, excluding typhoid fever	17,161	17,144	15,390	9,680	8,542	6,929	6,606	6,363	6,693	6,704
Shigellosis (bacillary dysentery)	11,027	12,984	13,009	12,443	12,571	12,487	12,888	11,861	9,822	10,306
Streptococcal sore throat and scarlet fever	395,168	402,334	342,161	315,809	338,410	315,173	334,715	264,097	226,973	176,392
Tetanus	300	289	325	322	379	368	445	445	447	468
Trichinosis	199	198	208	194	306	160	227	176	178	262
Tuberculosis (newly reported active cases) ⁵	49,000	50,874	54,062	53,788	53,727	55,494	57,307	63,000	66,437	68,866
Tularemia	264	342	327	328	365	390	459	587	601	522
Typhoid fever	454	501	566	608	814	816	859	1,043	1,231	1,700
Typhus fever, flea-borne (endemic, murine)	28	30	35	32	46	68	51	71	113	98
Typhus fever, tick-borne (Rocky Mountain spotted)	281	277	216	240	219	204	199	243	240	293
Veneral diseases (newly reported cases) ⁶	112,842	114,314	124,137	126,245	124,658	122,003	120,766	113,894	123,758	130,168
Syphilis	324,925	300,667	278,289	263,708	264,158	258,933	240,158	232,513	214,496	224,342
Gonorrhea	2,015	2,115	1,979	2,141	2,466	2,811	2,459	2,343	2,433	2,981
Other specified venereal diseases: chancroid, granuloma inguinale and lymphogranuloma venereum	4,574	4,780	3,929	3,732	3,599	3,567	4,177	4,787	4,542	5,681
Rabies in animals										

1. Figures include Alaska from 1959; Hawaii, from 1960; both are excluded in prior years.

2. Encephalitis data are from the Encephalitis Surveillance Unit, Epidemiology Branch, CDC.

3. Figures for cases of rabies in man represent registered deaths, 1956-1961.

4. Reports of cases of acute rheumatic fever were received from 36 States (see p. 11).

5. Tuberculosis data are from the Tuberculosis Branch, CDC. Number of cases shown for 1965 is provisional.

6. Venereal diseases data are from the Venereal Disease Branch, CDC.

TABLE 3. (A) DEATHS FROM SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, 1955 - 1964

(Figures include Alaska from 1959; Hawaii, from 1960; both are excluded in prior years. Numbers after cause of death are category numbers of the Seventh Revision, International Classification of Diseases, 1955.)

CAUSE OF DEATH	1964	1963	1962	1961	1960	1959	1958	1957	1956	1955
Amebiasis	046	92	86	84	88	124	86	95	130	106
Anthrax	062	-	-	1	-	-	1	2	-	-
Botulism	049.1	14	11	10	12	15	4	11	14	18
Brucellosis	044	5	12	11	6	12	8	8	9	10
Diphtheria	055	45	41	68	69	72	74	81	103	150
Encephalitis, acute infectious	082	532	582	505	528	570	537	465	424	398
Hepatitis, infectious	092	852	911	976	938	897	897	897	806	841
Leprosy	060	3	8	8	6	6	3	3	6	5
Leptospirosis	072	14	10	9	14	11	11	9	8	10
Malaria	110 - 117	7	12	3	4	7	6	14	11	18
Measles	085	364	408	434	380	385	552	389	530	345
Meningococcal infections	037	733	649	586	644	699	746	785	762	907
Pertussis (whooping cough)	036	115	83	76	118	269	177	183	266	467
Plague	058	1	-	2	-	1	-	-	1	-
Polioomyelitis	080	41	60	90	230	454	255	221	566	1,043
Bulbar or poliomyelitis	080.0	22	35	61	146	299	164	151	402	767
With other paralysis	080.1	5	7	10	14	24	21	13	38	53
Unspecified	080.3	14	18	19	70	131	70	57	125	243
Psittacosis	096.2	1	1	-	-	1	3	3	3	3
Rabies	094	2	1	3	2	7	5	5	10	4
Rheumatic fever, acute	400 - 402	552	550	608	734	795	806	900	1,033	1,131
Salmonellosis, including paratyphoid fever	041 - 042	72	62	64	82	72	65	60	62	62
Shigellosis (bacillary dysentery)	045	134	134	128	153	133	157	156	156	187
Streptococcal sore throat and scarlet fever	050 - 051	102	102	130	108	130	139	213	240	235
Tetanus	061	210	215	242	231	283	303	279	246	265
Trichinosis	128	5	1	7	3	3	4	4	5	4
Tuberculosis (all forms)	001 - 019	9,311	9,506	9,938	10,866	11,456	12,361	13,324	14,061	14,940
Tularemia	059	3	1	3	3	7	6	3	4	9
Typhoid fever	040	21	15	17	21	22	23	34	54	34
Typhus fever - flea-borne (murine)	101	-	-	-	-	-	-	2	-	-
Typhus fever - tick-borne (Rocky Mountain spotted) ...	104	16	12	11	11	10	14	18	16	8
Veneral diseases and sequelae										
Syphilis	020 - 029	2,619	2,811	2,850	2,945	3,069	3,469	3,825	3,870	3,834
Gonorrhea	030 - 035	13	23	19	38	25	18	21	28	23
Other	036 - 039	10	12	11	15	12	20	18	20	28

Source: National Center for Health Statistics, Vital Statistics of the United States, Vol. II, for respective year.

TABLE 3. (B) DEATHS FROM SELECTED NON-NOTIFIABLE ACUTE DISEASES: UNITED STATES, 1955 - 1964

DISEASE	1964	1963	1962	1961	1960	1959	1958	1957	1956	1955
Abscess of lung	521	651	561	543	604	614	652	601	595	500
Boil and carbuncle	690	58	67	93	120	156	117	99	58	43
Other local skin conditions (cellulitis and abscess)...	691 - 698	427	503	520	512	476	436	384	355	283
Chickenpox	087	153	134	167	126	141	146	113	116	88
Diarrhea of newborn	764	400	386	419	463	492	531	516	527	547
Erysipela and pleurisy	518 - 519	464	432	479	456	468	424	450	416	429
Erysipelas	052	17	25	32	22	28	26	27	33	28
Fungal infections	132	31	17	21	28	27	21	15	24	23
Actinomycosis	133	46	55	62	55	48	50	53	54	62
Coccidioidomycosis	134.0	21	16	16	15	13	24	28	27	19
Blastomycosis	134.1	74	73	86	71	84	39	55	66	74
Cryptococcosis	134.2	77	70	90	80	63	73	77	67	53
Histoplasmosis	132.3	81	105	100	108	101	93	82	105	87
Moniliasis	571.0	2,284	2,370	2,596	2,957	2,862	3,066	3,412	3,166	3,663
Gastroenteritis and colitis (age 4 wks - 2 yrs)	096.0	18	22	21	12	26	26	13	13	7
Herpes febrilis	088	81	66	63	78	58	46	47	52	45
Herpes zoster	125	6	7	3	10	8	14	5	8	8
Hydatid disease	390 - 394	255	261	314	389	399	434	404	387	474
Infections of ear and mastoid	340	2,464	2,343	2,263	2,316	2,208	2,247	2,025	1,933	1,873
Meningitis, excluding meningococcal and tuberculosis ..	093	20	11	13	16	21	16	15	18	10
Mononucleosis, infectious	089	50	48	53	42	51	37	45	49	43
Mumps	704	133	147	141	149	168	142	170	149	172
Pemphigus	766	17	13	23	30	23	26	23	22	27
Pemphigus, neonatorum	500	998	1,139	1,031	1,170	1,135	1,352	1,202	1,105	1,080
Respiratory infections	480 - 483	1,687	1,118	2,137	7,872	2,865	4,442	7,463	2,323	2,755
Bronchitis, acute	490 - 493	57,764	63,678	53,038	58,931	52,194	52,997	53,538	44,780	41,755
Influenza	763	3,091	3,181	3,341	3,344	3,761	3,918	3,715	3,400	3,108
Pneumonia (primary cause of death)	470 - 475	776	867	808	911	971	936	1,045	901	904
Pneumonia of newborn	Sepsis of	167	201	220	191	179	159	169	136	159
Upper respiratory infections, acute	Abortion	67	113	113	76	58	50	54	48	43
Sepsis of	Childbirth	61	57	59	76	58	50	54	48	43
Abortion	Newborn	846	828	722	749	786	1,055	832	662	518
Childbirth	Septicemia and pyemia	2,389	2,359	1,886	1,920	1,760	1,663	1,351	1,118	938
Childbirth	Viral diseases, undifferentiated	451	511	456	434	384	308	267	302	312
Newborn	Worm infestation	41	44	48	56	65	63	56	59	60
Septicemia and pyemia										
Viral diseases, undifferentiated										
Worm infestation										

Source: National Center for Health Statistics, Vital Statistics of the United States, Vol. II, for respective year.

TABLE 4. REPORTED CASES OF NOTIFIABLE DISEASES BY MONTH: UNITED STATES, 1965

DISEASE	Total	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	Month Not Stated
Amebiasis	2,768	207	201	228	224	256	259	272	220	269	226	209	195	2
Anthrax	7	1	1	2	1	1	-	1	-	-	-	-	-	-
Aseptic meningitis	2,329	119	91	151	113	117	148	257	320	345	250	163	171	84
Botulism	19	-	-	1	2	-	5	3	-	-	2	-	5	-
Brucellosis (undulant fever)	262	22	10	19	20	25	31	19	25	29	14	21	27	-
Diphtheria	164	13	17	19	16	4	6	4	8	15	13	20	28	1
Encephalitis, primary	1,722	91	86	98	97	96	90	171	409	260	142	82	90	10
Encephalitis, post-infectious	981	91	88	114	119	127	109	83	58	48	37	36	62	9
Hepatitis, infectious and serum	33,856	3,309	3,181	3,593	2,896	2,634	2,401	2,356	2,329	2,786	2,644	2,499	3,161	67
Leprosy	96	7	13	14	12	5	2	1	7	5	12	6	11	1
Leptospirosis	84	3	5	5	1	4	3	8	12	7	10	7	19	-
Malaria	147	2	3	7	5	7	13	9	10	9	12	22	23	25
Measles	261,904	26,691	33,772	49,815	46,601	39,352	25,873	8,528	3,245	2,430	3,881	6,589	14,864	263
Meningococcal infections	3,040	258	331	483	367	263	221	174	111	117	179	197	322	17
Pertussis (whooping cough)	6,799	695	590	623	425	611	547	555	669	688	492	496	403	7
Polio	72	1	4	4	-	5	8	16	12	4	6	1	11	-
Paralytic	61	1	2	2	-	5	7	14	10	4	4	1	11	-
Nonparalytic	10	-	1	2	-	-	1	2	2	-	2	-	-	-
Unspecified	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Psittacosis-ornithosis	60	2	1	2	4	2	8	8	6	5	8	8	6	-
Rabies in man	2	-	-	-	-	1	-	-	-	-	-	-	1	-
Rheumatic fever, acute*	4,998	602	451	649	526	507	409	384	312	331	284	251	285	-
Salmonellosis, excluding typhoid fever	17,161	1,088	931	1,200	1,127	1,275	1,692	1,864	1,627	1,764	1,753	1,313	1,408	119
Shigellosis (bacillary dysentery)	11,027	699	683	909	567	693	722	994	1,336	1,102	1,153	1,028	988	151
Streptococcal sore throat and scarlet fever	395,168	42,084	47,287	56,414	41,639	33,894	25,381	19,061	16,000	19,369	27,083	29,065	37,838	58
Tetanus	300	10	20	14	23	30	30	30	35	25	29	23	30	-
Trichinosis	199	32	9	25	22	16	14	21	10	11	21	5	13	-
Tularemia	264	30	11	15	7	25	33	28	23	26	28	13	25	-
Typhoid fever	454	28	24	33	20	36	37	40	48	47	57	31	53	-
Typhus fever	28	-	3	2	2	2	2	7	3	1	1	4	-	-
Flac-borne (endemic, murine)	281	2	-	1	7	45	63	79	41	20	11	9	3	-
Tick-borne (Rocky Mountain spotted)	4,574	417	418	559	498	368	344	378	330	336	304	294	326	-
Rabies in animals														

*Based on reports from 36 States.

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1965

AREA	AMEBIASIS	ANTHRAX	ASEPTIC MENINGITIS	BOTULISM	BRUCELLOSIS	DIPHTHERIA
UNITED STATES	2,768	7	2,329	19	262	164
NEW ENGLAND	31	1	70	-	7	2
Maine	-	-	5	-	1	-
New Hampshire	-	-	-	-	-	-
Vermont	-	-	-	-	1	-
Massachusetts	5	1	44	-	4	2
Rhode Island	-	-	16	-	1	-
Connecticut	26	-	5	-	-	-
MIDDLE ATLANTIC	1,285	5	220	1	6	6
New York City	969	-	54	-	-	3
Upstate New York	28	-	61	-	3	1
New Jersey	227	3	56	1	1	-
Pennsylvania	61	2	49	-	2	2
EAST NORTH CENTRAL ..	170	-	390	-	33	8
Ohio	5	-	55	-	3	2
Indiana	2	-	54	-	3	2
Illinois	149	-	128	-	18	3
Michigan	7	-	119	-	1	-
Wisconsin	7	-	34	-	8	1
WEST NORTH CENTRAL ..	29	-	159	-	120	19
Minnesota	6	-	114	-	8	7
Iowa	14	-	25	-	78	1
Missouri	5	-	13	-	12	-
North Dakota	-	-	-	-	2	-
South Dakota	-	-	4	-	11	8
Nebraska	-	-	1	-	5	2
Kansas	4	-	2	-	4	1
SOUTH ATLANTIC	121	1	173	1	30	33
Delaware	-	-	31	-	-	-
Maryland	15	-	3	1	-	-
District of Columbia	3	-	1	-	-	3
Virginia	41	1	17	-	9	-
West Virginia	2	-	3	-	2	-
North Carolina	27	-	25	-	5	3
South Carolina	-	-	15	-	-	1
Georgia	2	-	-	-	10	16
Florida	31	-	78	-	4	10
EAST SOUTH CENTRAL ..	89	-	250	7	7	38
Kentucky	6	-	102	5	1	-
Tennessee	51	-	108	-	3	2
Alabama	30	-	29	2	2	32
Mississippi	2	-	11	-	1	4
WEST SOUTH CENTRAL ..	465	-	252	-	31	42
Arkansas	11	-	10	-	10	2
Louisiana	23	-	17	-	5	11
Oklahoma	4	-	15	-	9	1
Texas	427	-	210	-	7	28
MOUNTAIN	267	-	93	3	9	2
Montana	-	-	2	-	-	1
Idaho	1	-	4	3	4	-
Wyoming	1	-	6	-	1	-
Colorado	11	-	8	-	1	-
New Mexico	40	-	10	-	-	1
Arizona	206	-	41	-	3	-
Utah	-	-	18	-	-	-
Nevada	8	-	4	-	-	-
PACIFIC	311	-	722	7	19	14
Washington	1	-	55	5	1	9
Oregon	6	-	14	-	1	-
California	298	-	608	2	16	5
Alaska	-	-	3	-	-	-
Hawaii	6	-	42	-	1	-
Puerto Rico	-	-	2	-	-	16

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1965 - Continued

AREA	TOTAL	INFECTIOUS ENCEPHALITIS - CAUSE SPECIFIED									UNKNOWN ETIOLOGY
		ARBOVIRUSES				POST-INFECTIOUS				OTHER SPECIFIED	
		WEE	SLE	EEE	CALIF.	MUMPS	MEASLES	CHICKENPOX	RUBELLA		
UNITED STATES	2,703	172	58	8	59	634	171	112	7	57	1,425
NEW ENGLAND	136	-	-	-	-	45	25	10	-	-	56
Maine	9	-	-	-	-	1	3	-	-	-	5
New Hampshire	1	-	-	-	-	1	-	-	-	-	-
Vermont	3	-	-	-	-	-	2	-	-	-	1
Massachusetts	60	-	-	-	-	19	12	4	-	-	25
Rhode Island	40	-	-	-	-	21	5	2	-	-	12
Connecticut	23	-	-	-	-	3	3	4	-	-	13
MIDDLE ATLANTIC	589	-	3	1	-	121	22	27	3	25	387
New York City	228	-	-	-	-	64	2	9	-	7	146
Upstate New York	102	-	-	-	-	25	6	9	2	5	55
New Jersey	151	-	2	1	-	12	2	4	-	9	121
Pennsylvania	108	-	1	-	-	20	12	5	1	4	65
EAST NORTH CENTRAL ..	281	2	3	-	49	54	29	16	3	6	119
Ohio	143	-	1	-	28	13	9	2	-	2	88
Indiana	19	1	-	-	7	4	4	2	-	1	-
Illinois	39	-	1	-	-	17	3	7	3	1	7
Michigan	61	-	1	-	-	19	11	5	-	2	23
Wisconsin	19	1	-	-	14	1	2	-	-	-	1
WEST NORTH CENTRAL ..	254	41	6	-	7	40	10	4	-	5	141
Minnesota	60	2	-	-	1	31	4	3	-	2	17
Iowa	34	-	-	-	6	2	3	-	-	-	23
Missouri	23	4	4	-	-	4	-	1	-	1	9
North Dakota	51	21	-	-	-	1	-	-	-	-	29
South Dakota	12	3	-	-	-	-	-	-	-	-	9
Nebraska	14	1	1	-	-	-	1	-	-	-	11
Kansas	60	10	1	-	-	2	2	-	-	2	43
SOUTH ATLANTIC	300	-	-	7	3	90	18	14	-	8	160
Delaware	4	-	-	-	-	-	-	1	-	-	3
Maryland	16	-	-	1	-	1	5	1	-	1	7
District of Columbia	2	-	-	-	-	-	-	-	-	1	1
Virginia	55	-	-	-	-	11	3	5	-	1	35
West Virginia	5	-	-	-	-	-	1	-	-	-	4
North Carolina	33	-	-	1	3	3	3	4	-	3	16
South Carolina	5	-	-	-	-	1	-	-	-	-	4
Georgia	11	-	-	2	-	-	-	-	-	-	9
Florida	169	-	-	3	-	74	6	3	-	2	81
EAST SOUTH CENTRAL ..	94	-	-	-	-	17	11	4	-	2	60
Kentucky	14	-	-	-	-	3	-	1	-	-	10
Tennessee	28	-	-	-	-	3	4	3	-	1	17
Alabama	34	-	-	-	-	10	3	-	-	-	21
Mississippi	18	-	-	-	-	1	4	-	-	1	12
WEST SOUTH CENTRAL ..	180	20	26	-	-	38	12	6	1	3	74
Arkansas	20	-	-	-	-	3	3	1	1	-	12
Louisiana	30	-	-	-	-	7	4	2	-	1	16
Oklahoma	16	-	-	-	-	-	-	-	-	-	16
Texas	114	20	26	-	-	28	5	3	-	2	30
MOUNTAIN	396	100	19	-	-	22	10	3	-	1	241
Montana	34	15	1	-	-	5	1	1	-	1	10
Idaho	12	-	-	-	-	-	-	-	-	-	12
Wyoming	19	11	-	-	-	-	-	2	-	-	6
Colorado	269	68	18	-	-	6	5	-	-	-	172
New Mexico	10	6	-	-	-	-	-	-	-	-	4
Arizona	16	-	-	-	-	2	-	-	-	-	14
Utah	34	-	-	-	-	9	4	-	-	-	21
Nevada	2	-	-	-	-	-	-	-	-	-	2
PACIFIC	473	9	1	-	-	207	34	28	-	7	187
Washington	16	-	-	-	-	11	3	1	-	-	1
Oregon	36	-	-	-	-	11	2	2	-	6	15
California	409	9	1	-	-	185	28	24	-	-	162
Alaska	3	-	-	-	-	-	-	-	-	1	2
Hawaii	9	-	-	-	-	-	1	1	-	-	7
Puerto Rico	6	-	-	-	-	-	1	2	-	-	3

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1965 - Continued

AREA	HEPATITIS (Infectious and Serum)	LEPROSY	LEPTOSPIROSIS	MALARIA (Acquired Outside and Within U.S.)	MEASLES	MENINGOCOCCAL INFECTIONS	PERTUSSIS (Whooping Cough)
UNITED STATES	33,856	96	84	147	261,904	3,040	6,799
NEW ENGLAND	1,846	3	3	12	37,607	147	557
Maine	336	-	1	-	2,949	19	85
New Hampshire	174	-	-	-	490	10	4
Vermont	93	-	-	-	1,461	9	83
Massachusetts	721	3	2	5	19,512	61	77
Rhode Island	207	-	-	-	3,973	17	242
Connecticut	315	-	-	7	9,222	31	66
MIDDLE ATLANTIC	6,001	4	4	45	19,590	377	660
New York City	1,248	4	-	5	4,127	68	194
Upstate New York	2,258	-	1	6	4,480	121	155
New Jersey	1,050	-	3	4	4,160	85	106
Pennsylvania	1,445	-	-	30	6,823	103	205
EAST NORTH CENTRAL ..	6,618	4	14	3	65,835	459	1,759
Ohio	1,748	1	7	2	9,258	123	148
Indiana	568	-	-	-	2,337	56	150
Illinois	1,247	3	5	1	5,036	125	497
Michigan	2,625	-	2	-	28,132	107	612
Wisconsin	430	-	-	-	21,072	48	352
WEST NORTH CENTRAL ..	1,852	2	7	3	14,065	151	179
Minnesota	236	-	-	-	948	35	38
Iowa	593	-	7	-	5,618	14	44
Missouri	402	-	-	3	2,681	56	68
North Dakota	35	-	-	-	4,223	15	19
South Dakota	24	-	-	-	116	4	3
Nebraska	103	1	-	-	479	11	7
Kansas	459	1	-	-	NN	16	NN
SOUTH ATLANTIC	3,557	3	11	25	27,706	587	713
Delaware	95	-	-	-	532	11	10
Maryland	644	1	1	5	1,427	68	35
District of Columbia	57	-	-	-	176	12	3
Virginia	780	-	-	4	4,524	75	165
West Virginia	467	-	2	-	14,883	30	180
North Carolina	397	-	3	8	379	122	78
South Carolina	148	-	1	4	1,267	68	41
Georgia	166	-	2	1	688	71	26
Florida	803	2	2	3	3,830	130	175
EAST SOUTH CENTRAL ..	2,384	-	8	2	16,474	246	451
Kentucky	870	-	-	2	3,802	87	68
Tennessee	805	-	6	-	8,994	75	286
Alabama	413	-	1	-	2,511	47	57
Mississippi	296	-	1	-	1,167	37	40
WEST SOUTH CENTRAL ..	2,768	44	12	6	32,352	386	774
Arkansas	348	-	2	1	1,195	19	25
Louisiana	472	3	5	3	144	203	4
Oklahoma	62	-	-	2	242	24	56
Texas	1,886	41	5	-	30,771	140	689
MOUNTAIN	1,919	1	10	5	18,617	112	464
Montana	163	-	1	-	1,461	3	30
Idaho	203	-	8	-	3,209	15	42
Wyoming	61	-	-	-	883	6	12
Colorado	403	-	-	3	6,027	30	98
New Mexico	396	-	-	-	694	11	6
Arizona	383	1	-	-	1,593	24	223
Utah	229	-	1	-	4,494	11	51
Nevada	81	-	-	2	256	12	2
PACIFIC	6,911	35	15	46	29,658	575	1,242
Washington	586	1	-	2	7,944	61	115
Oregon	611	-	1	3	3,553	43	268
California	5,393	13	6	41	13,873	449	849
Alaska	231	-	-	-	238	15	9
Hawaii	90	21	8	-	4,050	7	1
Puerto Rico	1,474	-	1	-	2,977	14	180

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1965 - Continued

AREA	POLIOMYELITIS			PSITTACOSIS- ORNITHOSIS	RHEUMATIC FEVER, ACUTE	SALMONELLOSIS ¹ (Excluding Typhoid Fever)	SHIGELLOSIS
	Total ¹	Paralytic	Nonparalytic				
UNITED STATES	72	61	10	60	4,998	17,161	11,027
NEW ENGLAND	1	1	-	4	34	1,412	135
Maine	-	-	-	1	10	34	12
New Hampshire	-	-	-	-	...	53	8
Vermont	-	-	-	-	1	45	1
Massachusetts	1	1	-	1	...	908	48
Rhode Island	-	-	-	-	14	120	7
Connecticut	-	-	-	2	9	252	59
MIDDLE ATLANTIC	4	4	-	5	...	3,059	970
New York City	-	-	-	2	...	843	501
Upstate New York	1	1	-	2	...	912	139
New Jersey	3	3	-	-	...	488	55
Pennsylvania	-	-	-	1	...	816	275
EAST NORTH CENTRAL ..	5	5	-	11	2,946	2,643	1,645
Ohio	-	-	-	2	1,120	362	319
Indiana	-	-	-	-	66	252	77
Illinois	4	4	-	5	1,705	1,050	649
Michigan	1	1	-	1	...	510	348
Wisconsin	-	-	-	3	55	469	252
WEST NORTH CENTRAL ..	11	10	1	5	319	969	682
Minnesota	1	1	-	5	30	379	173
Iowa	4	3	1	-	30	108	236
Missouri	1	1	-	-	71	115	68
North Dakota	-	-	-	-	183	28	31
South Dakota	-	-	-	-	...	16	37
Nebraska	4	4	-	-	...	14	19
Kansas	1	1	-	-	5	309	118
SOUTH ATLANTIC	3	3	-	5	63	3,816	1,910
Delaware	-	-	-	-	4	45	39
Maryland	1	1	-	2	...	514	261
District of Columbia	-	-	-	-	1	228	86
Virginia	-	-	-	1	...	459	174
West Virginia	-	-	-	-	36	19	12
North Carolina	-	-	-	1	...	423	145
South Carolina	1	1	-	-	...	11	8
Georgia	1	1	-	-	22	822	672
Florida	-	-	-	1	...	1,295	513
EAST SOUTH CENTRAL ..	4	2	2	5	613	535	560
Kentucky	1	-	1	1	227	180	51
Tennessee	2	1	1	4	236	191	369
Alabama	-	-	-	-	150	126	66
Mississippi	1	1	-	-	...	38	74
WEST SOUTH CENTRAL ..	26	24	2	8	106	1,002	1,406
Arkansas	2	2	-	-	5	148	161
Louisiana	2	1	1	-	10	383	134
Oklahoma	2	2	-	-	4	80	111
Texas	20	19	1	8	87	391	1,000
MOUNTAIN	7	3	3	3	709	712	1,075
Montana	-	-	-	-	18	59	172
Idaho	-	-	-	-	297	44	35
Wyoming	-	-	-	-	88	1	2
Colorado	1	1	-	-	76	218	259
New Mexico	2	-	1	-	10	116	392
Arizona	4	2	2	1	93	147	152
Utah	-	-	-	2	123	101	54
Nevada	-	-	-	-	4	26	9
PACIFIC	11	9	2	14	208	3,013	2,644
Washington	4	3	1	1	75	463	280
Oregon	1	1	-	1	36	240	466
California	6	5	1	12	92	1,781 ²	1,617
Alaska	-	-	-	-	5	7	16
Hawaii	-	-	-	-	...	522	265
Puerto Rico	-	-	-	-	47	8	5

1. Includes one unspecified case of poliomyelitis from New Mexico.

2. An estimated 18,000 additional cases of salmonellosis occurred in Riverside County in May and June as a result of a water-borne epidemic.

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1965 - Continued

AREA	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	TETANUS	TRICHINOSIS	TULAREMIA	TYPHOID FEVER	TYPHUS FEVER	
						Flea-borne (Murine)	Tick-borne (Rocky Mountain Spotted Fever)
UNITED STATES	395,168	300	199	264	454	28	281
NEW ENGLAND	40,582	5	41	2	6	1	-
Maine	4,794	-	9	-	-	-	-
New Hampshire	639	1	-	-	-	-	-
Vermont	809	-	-	-	-	-	-
Massachusetts	5,842	3	14	2	3	-	-
Rhode Island	2,123	-	4	-	1	-	-
Connecticut	26,375	1	14	-	2	1	-
MIDDLE ATLANTIC	18,554	24	70	1	67	-	53
New York City	821	6	26	-	31	-	1
Upstate New York	12,267	6	22	1	14	-	8
New Jersey	2,848	2	16	-	6	-	17
Pennsylvania	2,618	10	6	-	16	-	27
EAST NORTH CENTRAL ..	38,518	37	17	26	56	1	22
Ohio	5,071	3	10	-	19	-	10
Indiana	5,497	10	-	9	17	-	-
Illinois	6,167	18	4	14	9	1	9
Michigan	14,622	3	2	2	7	-	3
Wisconsin	7,161	3	1	1	4	-	-
WEST NORTH CENTRAL ..	17,087	29	30	34	17	-	4
Minnesota	522	12	29	1	1	-	-
Iowa	3,768	5	1	-	2	-	1
Missouri	1,188	7	-	21	10	-	1
North Dakota	7,439	1	-	-	-	-	-
South Dakota	995	-	-	4	-	-	-
Nebraska	95	2	-	2	3	-	-
Kansas	3,080	2	-	6	1	-	2
SOUTH ATLANTIC	48,101	67	6	35	69	2	134
Delaware	1,261	-	-	-	5	-	1
Maryland	7,394	3	1	2	10	-	21
District of Columbia	430	-	-	-	-	1	1
Virginia	11,135	5	-	9	9	-	43
West Virginia	14,907	1	1	-	3	-	5
North Carolina	872	10	1	8	13	-	41
South Carolina	2,327	6	1	3	9	-	6
Georgia	745	13	-	12	14	-	16
Florida	9,030	29	2	1	6	1	-
EAST SOUTH CENTRAL ..	62,761	38	8	31	46	2	31
Kentucky	5,325	7	6	4	7	-	7
Tennessee	50,727	15	2	25	18	1	22
Alabama	3,001	14	-	1	11	1	2
Mississippi	3,708	2	-	1	10	-	-
WEST SOUTH CENTRAL ..	35,972	71	2	102	65	19	11
Arkansas	121	13	-	66	16	1	7
Louisiana	161	13	-	9	12	-	1
Oklahoma	1,854	4	-	10	10	-	3
Texas	33,836	41	2	17	27	18	-
MOUNTAIN	64,808	3	2	21	49	-	23
Montana	2,139	-	-	6	1	-	5
Idaho	5,623	-	-	1	-	-	3
Wyoming	1,328	-	-	4	1	-	4
Colorado	28,116	2	2	-	1	-	9
New Mexico	12,184	-	-	-	29	-	1
Arizona	6,270	1	-	-	14	-	1
Utah	9,005	-	-	10	1	-	-
Nevada	143	-	-	-	2	-	-
PACIFIC	68,785	26	23	12	79	3	3
Washington	18,170	-	-	-	7	-	-
Oregon	1,005	4	-	5	6	-	1
California	43,488	21	23	7	66	3	2
Alaska	1,870	-	-	-	-	-	-
Hawaii	4,252	1	-	-	-	-	-
Puerto Rico	591	70	-	-	18	1	-

TABLE 6. NEWLY REPORTED CASES OF VENEREAL DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, AGE, SEX, AND RACE (Civilian Cases Only), 1965

AREA	SYPHILIS		GONORRHEA	CHANCROID	OTHER*
	ALL STAGES	PRIMARY & SECONDARY			
UNITED STATES	112,842	23,338	324,925	982	1,033
NEW ENGLAND	3,254	477	8,164	10	6
Maine	252	2	386	-	-
New Hampshire	93	28	226	2	-
Vermont	18	2	201	-	2
Massachusetts	1,835	300	4,416	6	2
Rhode Island	360	23	308	-	-
Connecticut	696	122	2,627	2	2
MIDDLE ATLANTIC	30,017	4,945	48,923	83	55
New York City	16,946	2,889	28,987	67	49
Upstate New York	2,680	558	7,308	-	-
New Jersey	4,938	944	3,938	7	4
Pennsylvania	5,453	554	8,690	9	2
EAST NORTH CENTRAL	19,539	3,031	62,980	137	17
Ohio	4,596	648	13,703	16	-
Indiana	1,059	63	4,116	2	1
Illinois	7,018	1,382	28,829	22	6
Michigan	5,638	860	14,319	95	10
Wisconsin	1,228	78	2,013	2	-
WEST NORTH CENTRAL	6,341	553	18,322	55	8
Minnesota	223	91	2,230	2	-
Iowa	737	49	2,558	2	2
Missouri	3,903	248	8,783	50	5
North Dakota	19	2	496	-	-
South Dakota	161	39	671	-	-
Nebraska	406	88	1,037	-	-
Kansas	892	36	2,547	1	1
SOUTH ATLANTIC	21,579	6,735	66,002	443	795
Delaware	612	56	1,098	2	-
Maryland	3,227	485	6,449	6	11
District of Columbia	1,474	495	9,982	13	631
Virginia	2,300	326	7,762	11	18
West Virginia	1,326	107	867	2	-
North Carolina	2,294	1,004	9,891	90	13
South Carolina	1,772	851	7,769	14	5
Georgia	2,442	1,055	11,381	108	45
Florida	6,132	2,356	10,803	197	72
EAST SOUTH CENTRAL	6,633	2,689	21,741	72	49
Kentucky	1,596	138	3,561	11	-
Tennessee	1,865	503	9,716	19	9
Alabama	2,254	1,417	3,869	19	28
Mississippi	918	631	4,595	23	12
WEST SOUTH CENTRAL	10,593	2,330	42,510	126	65
Arkansas	1,198	202	6,066	10	3
Louisiana	2,861	661	5,124	15	46
Oklahoma	1,290	111	3,199	9	-
Texas	5,244	1,356	28,121	92	16
MOUNTAIN	2,585	546	9,632	16	5
Montana	160	21	465	-	-
Idaho	23	9	972	-	-
Wyoming	98	9	161	1	-
Colorado	553	51	2,057	5	1
New Mexico	694	112	1,565	1	1
Arizona	614	268	3,161	9	3
Utah	157	21	484	-	-
Nevada	286	55	767	-	-
PACIFIC	12,301	2,032	46,651	40	33
Washington	305	70	3,387	-	6
Oregon	420	47	2,463	-	7
California	11,439	1,875	39,550	38	20
Alaska	27	8	897	2	-
Hawaii	110	32	354	-	-
Puerto Rico	1,841	876	2,687	12	6
Virgin Islands	446	24	261	-	1

AGE DISTRIBUTION		
Age Group	Syphilis, Primary & Secondary	Gonorrhea
0-14	281	4,525
15-19	4,039	66,947
20-24	6,575	114,945
25-29	4,544	64,525
30-39	4,973	52,588
40-49	2,055	15,709
50+	871	5,686
Total	23,338	324,925

DISTRIBUTION by SEX by RACE		
Syphilis, All Stages		
	White	Nonwhite
Male	25,313	36,887
Female	17,619	33,023
Total	42,932	69,910
Syphilis, Primary & Secondary		
Male	3,915	10,439
Female	1,254	7,730
Total	5,169	18,169
Gonorrhea		
Male	64,714	180,498
Female	25,164	54,549
Total	89,878	235,047

CONGENITAL SYPHILIS AGE DISTRIBUTION		
Age Group	Number	Percent of Total
< 1	357	10.0
1-4	46	1.3
5-9	77	2.2
10+	3,084	86.5
Total	3,564	100.0

*Granuloma inguinale and Lymphogranuloma venereum.

TABLE 7. RABIES IN MAN AND ANIMALS, BY STATE, BY TYPE OF ANIMAL, UNITED STATES, 1965
FROM REPORTS TO THE NATIONAL RABIES SURVEILLANCE PROGRAM, CDC-PHS

Human Rabies in the United States, 1965

LOCALITY	AGE	SEX	BITING ANIMAL	NATURE OF EXPOSURE	INCUBATION PERIOD	DURATION OF ILLNESS	DATE AND PLACE OF DEATH
West Virginia	60	M	Dog	Bite on right hand	23 mos.	8 days	5/21/65, W. Va.
Mexico	3	F	Dog	Bite over right ear	10 days	11 days	12/8/65, Calif.

Rabies in Animals by Type of Animal Reported Through Surveillance Program										State Report, Notifiable Diseases
AREA	DOG	CATTLE	OTHER DOMESTIC	FOX	SKUNK	BAT	RACCOON	OTHER WILD	TOTAL CONFIRMED	TOTAL CASES
UNITED STATES	411	533	376	1,038	1,582	484	99	42	4,565	4,574
NEW ENGLAND										
Maine	-	-	-	3	-	1	-	-	4	4
New Hampshire	1	2	-	1	1	1	-	-	6	6
Vermont	1	3	1	26	1	-	-	-	32	32
Massachusetts	-	-	-	-	-	3	-	-	3	3
Rhode Island	1	-	-	-	-	-	-	-	1	1
Connecticut	-	-	-	2	-	2	-	-	4	4
MIDDLE ATLANTIC										
New York	7	56	14	100	66	14	-	2	259	259
New Jersey	-	-	-	-	-	21	-	-	21	-
Pennsylvania	1	1	1	3	3	5	-	-	14	14
EAST NORTH CENTRAL ...										
Ohio	8	14	7	32	280	6	-	2	349	350
Indiana	11	10	7	9	37	2	1	-	77	76
Illinois	18	24	82	11	158	13	4	3	313	317
Michigan	12	6	9	1	37	3	-	-	68	68
Wisconsin	20	16	9	3	21	1	1	-	71	71
WEST NORTH CENTRAL ...										
Minnesota	7	26	9	2	127	4	1	1	177	190
Iowa	11	56	36	1	118	6	3	1	232	232
Missouri	23	15	10	28	51	2	-	2	131	131
North Dakota	1	14	5	-	29	1	-	-	50	50
South Dakota	2	19	17	1	29	1	-	-	69	68
Nebraska	2	7	5	-	23	-	1	1	39	39
Kansas	1	4	14	-	121	5	-	3	148	148
SOUTH ATLANTIC										
Maryland	1	-	3	-	1	22	-	-	27	27
Virginia	13	58	21	239	-	3	2	2	338	340
West Virginia	6	8	5	7	-	1	-	-	27	27
North Carolina	-	-	-	1	-	2	-	-	3	3
South Carolina	-	-	-	-	-	2	-	1	3	3
Georgia	3	1	4	6	-	15	45	-	74	75
Florida	4	-	1	-	3	38	32	-	78	78
EAST SOUTH CENTRAL ...										
Kentucky	28	8	17	42	7	2	-	-	104	104
Tennessee	42	98	36	394	72	30	1	8	681	681
Alabama	2	-	1	12	1	2	-	-	18	18
Mississippi	-	-	-	-	-	42	-	-	42	42
WEST SOUTH CENTRAL ...										
Arkansas	14	12	3	15	32	7	1	-	84	99
Louisiana	21	1	1	59	2	5	-	1	90	90
Oklahoma	11	17	6	-	70	36	-	3	143	141
Texas	89	39	43	25	165	29	6	3	399	389
MOUNTAIN										
Montana	-	1	-	-	3	4	-	-	8	9
Idaho	-	-	-	-	-	15	-	-	15	15
Wyoming	-	-	-	-	5	1	-	-	6	6
Colorado	-	-	-	-	1	10	-	-	11	11
New Mexico	8	-	-	-	3	10	-	-	21	21
Arizona	22	-	4	6	7	14	1	6	60	60
Utah	-	-	-	-	-	2	-	-	2	2
PACIFIC										
Washington	-	-	-	-	-	22	-	-	22	22
Oregon	-	-	-	-	1	8	-	-	9	9
California	19	17	4	1	107	71	-	3	222	229
Alaska	1	-	1	8	-	-	-	-	10	10
Puerto Rico	1	3	2	-	-	-	-	12	18	18

States not reporting a case not listed.

TABLE 8. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1965

(A) DIPHTHERIA

AREA	Total	1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	164	3	49	55	17	11	6	3	8	6	2	1	3
NEW ENGLAND	2	-	-	-	-	-	-	-	1	-	-	1	-
Maine	-	-	-	-	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	2	-	-	-	-	-	-	-	1	-	-	1	-
Rhode Island	-	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLE ATLANTIC	6	-	1	1	-	1	-	-	3	-	-	-	-
New York City	3	-	1	1	-	-	-	-	1	-	-	-	-
Upstate New York	1	-	-	-	-	-	-	-	1	-	-	-	-
New Jersey	-	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania	2	-	-	-	-	1	-	-	1	-	-	-	-
EAST NORTH CENTRAL ..	8	-	1	2	1	2	1	-	1	-	-	-	-
Ohio	2	-	-	-	1	1	-	-	-	-	-	-	-
Indiana	2	-	-	-	-	1	-	-	1	-	-	-	-
Illinois	3	-	1	2	-	-	-	-	-	-	-	-	-
Michigan	-	-	-	-	-	-	-	-	-	-	-	-	-
Wisconsin	1	-	-	-	-	-	1	-	-	-	-	-	-
WEST NORTH CENTRAL	19	-	2	8	3	1	-	1	1	1	2	-	-
Minnesota	7	-	1	3	-	-	-	1	1	1	-	-	-
Iowa	1	-	-	-	-	-	-	-	-	-	1	-	-
Missouri	-	-	-	-	-	-	-	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	8	-	-	4	3	-	-	-	-	-	1	-	-
Nebraska	2	-	1	1	-	-	-	-	-	-	-	-	-
Kansas	1	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH ATLANTIC	33	-	11	13	2	1	2	1	-	-	-	-	3
Delaware	-	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	-	-	-	-	-	-	-	-	-	-	-	-	-
District of Columbia	3	-	1	2	-	-	-	-	-	-	-	-	-
Virginia	-	-	-	-	-	-	-	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-	-	-	-	-
North Carolina	3	-	1	1	-	-	1	-	-	-	-	-	-
South Carolina	1	-	1	-	-	-	-	-	-	-	-	-	-
Georgia	16	-	5	6	2	1	-	1	-	-	-	-	1
Florida	10	-	3	4	-	-	1	-	-	-	-	-	2
EAST SOUTH CENTRAL ..	38	2	16	11	6	1	1	-	1	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	2	1	1	-	-	-	-	-	-	-	-	-	-
Alabama	32	-	13	10	6	1	1	-	1	-	-	-	-
Mississippi	4	1	2	1	-	-	-	-	-	-	-	-	-
WEST SOUTH CENTRAL ..	42	1	14	13	2	5	2	-	-	5	-	-	-
Arkansas	2	-	-	-	-	2	-	-	-	-	-	-	-
Louisiana	11	-	3	8	-	-	-	-	-	-	-	-	-
Oklahoma	1	-	-	-	-	1	-	-	-	-	-	-	-
Texas	28	1	11	5	2	2	2	-	-	5	-	-	-
MOUNTAIN	2	-	-	1	-	-	-	1	-	-	-	-	-
Montana	1	-	-	1	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-	-
Colorado	-	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	1	-	-	-	-	-	-	1	-	-	-	-	-
Arizona	-	-	-	-	-	-	-	-	-	-	-	-	-
Utah	-	-	-	-	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC	14	-	4	6	3	-	-	-	1	-	-	-	-
Washington	9	-	2	3	3	-	-	-	1	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-	-	-	-	-
California	5	-	2	3	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rico	16	1	4	3	1	1	1	2	-	2	-	-	1

TABLE 8. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1965 — Continued

(B) HEPATITIS (Infectious and serum)

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	33,856												
*46 States	30,947	88	1,187	5,537	4,746	3,751	3,635	2,642	3,448	2,002	1,178	1,116	1,617
NEW ENGLAND													
Maine	336	-	5	64	54	57	29	15	47	22	16	9	18
New Hampshire	174
Vermont	93	-	-	8	13	12	7	14	12	6	6	4	11
Massachusetts	721	-	16	112	120	87	98	78	84	59	25	29	13
Rhode Island	207	1	4	29	20	27	30	22	28	21	12	10	3
Connecticut	315	-	9	26	38	51	56	24	42	27	13	8	21
MIDDLE ATLANTIC													
New York City	1,248
Upstate New York	2,258	2	43	426	420	301	215	163	284	173	97	89	45
New Jersey	1,050	6	15	85	131	177	141	94	177	106	56	62	-
Pennsylvania	1,445	1	33	236	247	224	163	124	174	99	73	71	-
EAST NORTH CENTRAL ..													
Ohio	1,748	3	57	359	298	195	156	121	195	113	62	60	129
Indiana	568	3	33	123	115	68	59	47	54	22	19	14	11
Illinois	1,247	4	62	261	212	120	105	73	131	84	47	81	67
Michigan	2,625	6	88	523	411	331	241	238	289	152	81	69	196
Wisconsin	430
WEST NORTH CENTRAL ..													
Minnesota	236	1	8	29	24	24	31	18	19	23	14	21	24
Iowa	593
Missouri	402	-	16	91	75	44	42	36	32	26	8	15	17
North Dakota	35	-	-	4	4	5	5	4	4	4	3	1	1
South Dakota	24	-	-	4	4	1	2	4	3	1	1	2	2
Nebraska	103	-	2	17	15	6	10	9	23	5	3	2	11
Kansas	459	1	13	100	85	50	57	42	54	29	12	14	2
SOUTH ATLANTIC													
Delaware	95	-	-	11	7	16	15	9	15	11	2	1	8
Maryland	644	1	21	147	127	98	84	48	54	32	18	11	3
District of Columbia	57	-	2	3	8	5	11	8	10	5	4	1	-
Virginia	780	4	31	103	108	97	72	55	71	57	36	26	120
West Virginia	467	1	14	154	128	56	28	17	32	15	10	1	11
North Carolina	397	-	15	55	50	50	81	35	46	27	16	16	6
South Carolina	148	1	6	17	19	24	25	13	15	9	6	2	11
Georgia	166	-	7	32	34	16	16	15	8	6	4	8	20
Florida	803	6	38	87	81	65	99	73	119	73	45	70	47
EAST SOUTH CENTRAL ..													
Kentucky	870	1	23	218	177	96	46	31	38	23	13	18	186
Tennessee	805	1	24	178	182	112	73	66	70	42	30	27	-
Alabama	413	4	16	56	76	45	44	30	45	17	24	28	28
Mississippi	296	2	7	44	26	53	45	23	28	13	12	13	30
WEST SOUTH CENTRAL ..													
Arkansas	348	2	16	52	71	40	47	40	36	14	11	19	-
Louisiana	472	4	9	73	76	64	58	56	58	33	21	17	3
Oklahoma	62	-	3	15	7	3	9	1	7	5	6	4	2
Texas	1,886	10	131	409	282	202	226	130	189	117	76	38	76
MOUNTAIN													
Montana	163	1	27	29	18	23	9	8	12	7	6	4	19
Idaho	203	2	8	46	36	24	12	13	10	14	9	6	23
Wyoming	61	-	2	12	10	5	5	6	9	3	4	1	4
Colorado	403	2	21	106	71	42	40	30	49	14	12	14	2
New Mexico	396	2	35	96	44	22	21	15	16	8	15	3	119
Arizona	383
Utah	229	-	9	48	28	26	24	18	25	16	12	7	16
Nevada	81
PACIFIC													
Washington	586	-	28	83	75	50	71	63	89	51	26	21	29
Oregon	611	1	26	98	88	83	76	58	66	39	25	30	21
California	5,393	10	247	814	600	614	892	628	643	339	186	167	253
Alaska	231	5	16	49	25	34	29	12	18	34	1	-	8
Hawaii	90	-	1	5	6	6	30	15	18	6	-	2	1
Puerto Rico	1,474	6	147	512	277	161	89	56	83	53	25	24	41

*Hepatitis cases reported in accordance with age groupings established by consensus of the State and Territorial Epidemiologists.

TABLE 8. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1965 — Continued

(C) MENINGOCOCCAL INFECTIONS

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES.....	3,040												
*50 States	2,980	638	953	339	183	213	168	43	73	92	91	68	119
NEW ENGLAND													
Maine	19	6	6	2	2	1	1	-	-	1	-	-	-
New Hampshire	10	1	2	-	1	-	-	1	-	-	2	-	3
Vermont	9	4	4	-	-	-	-	-	-	-	-	-	1
Massachusetts	61	22	20	3	4	2	2	1	1	1	3	1	1
Rhode Island	17	1	10	2	-	1	1	-	-	1	1	-	-
Connecticut	31	5	9	5	2	2	3	-	-	3	-	2	-
MIDDLE ATLANTIC													
New York City	68	12	24	3	4	4	3	1	2	5	7	3	-
Upstate New York	121	23	47	16	4	4	5	1	3	8	6	3	1
New Jersey	85	12	23	5	4	13	8	-	2	3	6	7	2
Pennsylvania	103	19	43	13	4	2	4	3	1	5	3	6	-
EAST NORTH CENTRAL ..													
Ohio	123	30	42	17	6	3	5	1	2	3	4	2	8
Indiana	56	20	18	4	3	2	1	2	-	-	3	1	2
Illinois	125	33	29	14	9	14	5	3	5	5	5	2	1
Michigan	107	37	32	10	3	9	3	1	2	4	1	3	2
Wisconsin	48	37
WEST NORTH CENTRAL ..													
Minnesota	35	8	13	-	1	5	2	1	2	1	1	1	-
Iowa	14	1	1	2	-	3	-	-	2	-	-	1	4
Missouri	56	7	9	4	4	9	17	-	1	2	-	2	1
North Dakota	15	2	6	1	1	1	1	-	1	1	1	-	-
South Dakota	4	1	1	-	1	-	-	-	-	-	-	1	-
Nebraska	11	2	4	1	1	2	-	-	-	-	-	-	1
Kansas	16	2	3	-	1	2	2	-	1	1	1	3	-
SOUTH ATLANTIC													
Delaware	11	3	4	2	1	1	-	-	-	-	-	-	-
Maryland	68	17	29	6	8	3	1	1	2	-	1	-	-
District of Columbia	12	2	2	1	2	-	1	-	-	1	1	2	-
Virginia	75	14	30	9	3	7	2	2	1	1	1	-	5
West Virginia	30	6	7	4	2	4	1	-	-	1	1	1	3
North Carolina	122	31	31	17	9	8	8	3	5	3	2	4	1
South Carolina	68	5	12	6	4	11	23	1	1	2	-	1	2
Georgia	71	15	20	10	2	5	6	2	1	6	1	-	3
Florida	130	26	41	14	8	10	4	1	4	8	8	3	3
EAST SOUTH CENTRAL ..													
Kentucky	87	14	20	10	3	2	-	-	1	2	1	-	34
Tennessee	75	19	29	12	4	6	1	-	1	-	1	2	-
Alabama	47	6	17	8	6	1	1	1	1	-	2	1	3
Mississippi	37	7	13	4	4	-	5	1	1	-	1	-	1
WEST SOUTH CENTRAL ..													
Arkansas	19	4	8	2	1	1	1	-	-	1	1	-	-
Louisiana	203	38	56	35	23	19	16	2	3	3	3	2	3
Oklahoma	24	5	10	2	2	3	2	-	-	-	-	-	-
Texas	140	31	50	27	6	7	5	2	3	4	3	1	1
MOUNTAIN													
Montana	3	2	-	1	-	-	-	-	-	-	-	-	-
Idaho	15	4	3	3	2	-	2	-	-	-	-	-	1
Wyoming	6	2	2	-	-	1	-	-	1	-	-	-	-
Colorado	30	3	5	6	1	3	2	-	2	2	-	1	5
New Mexico	11	3	5	-	1	1	-	1	-	-	-	-	-
Arizona	24	2	9	2	1	-	1	-	-	1	1	-	7
Utah	11	2	4	2	1	1	-	1	-	-	-	-	-
Nevada	12	12
PACIFIC													
Washington	61	11	25	5	4	5	1	1	4	-	2	2	1
Oregon	43	8	15	8	5	-	3	2	-	1	-	-	1
California	449	100	154	41	24	35	19	4	16	12	17	10	17
Alaska	15	9	3	-	-	-	-	3	-	-	-	-	-
Hawaii	7	1	3	-	1	-	-	-	1	-	-	-	1
Puerto Rico	14	4	4	-	2	2	-	-	1	-	-	1	-

*Meningococcal infections cases reported in accordance with age groupings established by consensus of the State and Territorial Epidemiologists.

TABLE 8. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1965 — Continued

(D) POLIOMYELITIS - PARALYTIC*

AREA	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unknown
UNITED STATES	61	7	25	9	7	2	1	3	3	2	1	1	-
NEW ENGLAND	1	-	-	-	-	-	-	1	-	-	-	-	-
Massachusetts	1	-	-	-	-	-	-	1	-	-	-	-	-
MIDDLE ATLANTIC	4	-	1	1	1	-	-	-	-	1	-	-	-
Upstate New York	1	-	-	1	-	-	-	-	-	-	-	-	-
New Jersey	3	-	1	-	1	-	-	-	-	1	-	-	-
EAST NORTH CENTRAL ..	5	-	1	1	1	-	-	1	-	-	1	-	-
Illinois	4	-	1	1	1	-	-	-	-	-	1	-	-
Michigan	1	-	-	-	-	-	-	1	-	-	-	-	-
WEST NORTH CENTRAL ..	10	1	3	1	2	1	-	-	1	-	-	1	-
Minnesota	1	-	-	-	-	-	-	-	1	-	-	-	-
Iowa	3	-	1	-	1	1	-	-	-	-	-	-	-
Missouri	1	-	1	-	-	-	-	-	-	-	-	-	-
Nebraska	4	1	1	-	1	-	-	-	-	-	-	1	-
Kansas	1	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH ATLANTIC	3	-	2	-	-	-	-	-	1	-	-	-	-
Maryland	1	-	1	-	-	-	-	-	-	-	-	-	-
South Carolina	1	-	-	-	-	-	-	-	1	-	-	-	-
Georgia	1	-	1	-	-	-	-	-	-	-	-	-	-
EAST SOUTH CENTRAL ..	2	-	1	-	-	-	-	1	-	-	-	-	-
Tennessee	1	-	1	-	-	-	-	-	-	-	-	-	-
Mississippi	1	-	-	-	-	-	-	1	-	-	-	-	-
WEST SOUTH CENTRAL ..	24	4	13	4	1	1	1	-	-	-	-	-	-
Arkansas	2	-	1	-	1	-	-	-	-	-	-	-	-
Louisiana	1	-	1	-	-	-	-	-	-	-	-	-	-
Oklahoma	2	-	2	-	-	-	-	-	-	-	-	-	-
Texas	19	4	9	4	-	1	1	-	-	-	-	-	-
MOUNTAIN	3	1	2	-	-	-	-	-	-	-	-	-	-
Colorado	1	-	1	-	-	-	-	-	-	-	-	-	-
Arizona	2	1	1	-	-	-	-	-	-	-	-	-	-
PACIFIC	9	1	2	2	2	-	-	-	1	1	-	-	-
Washington	3	-	-	-	2	-	-	-	-	1	-	-	-
Oregon	1	-	1	-	-	-	-	-	-	-	-	-	-
California	5	1	1	2	-	-	-	-	1	-	-	-	-
POLIOMYELITIS - NONPARALYTIC OR UNSPECIFIED													
UNITED STATES	11	1	5	-	-	-	-	2	1	-	1	-	1
Arizona	2	-	2	-	-	-	-	-	-	-	-	-	-
California	1	-	-	-	-	-	-	-	-	-	1	-	-
Iowa	1	-	1	-	-	-	-	-	-	-	-	-	-
Kentucky	1	-	1	-	-	-	-	-	-	-	-	-	-
Louisiana	1	-	1	-	-	-	-	-	-	-	-	-	-
New Mexico	2	-	-	-	-	-	-	1	1	-	-	-	-
Tennessee	1	-	-	-	-	-	-	1	-	-	-	-	-
Texas	1	1	-	-	-	-	-	-	-	-	-	-	-
Washington	1	-	-	-	-	-	-	-	-	-	-	-	1

*States not reporting a case not listed

TABLE 8. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1965 — Continued

(E) TETANUS

AREA	Total	1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	300	36	15	21	14	8	9	12	21	29	39	93	3
NEW ENGLAND	5	-	-	1	1	-	-	1	-	-	-	2	-
Maine	-	-	-	-	-	-	-	-	-	-	-	-	-
New Hampshire	1	-	-	1	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	3	-	-	-	1	-	-	1	-	-	-	1	-
Rhode Island	-	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut	1	-	-	-	-	-	-	-	-	-	-	1	-
MIDDLE ATLANTIC	24	-	-	1	1	3	-	1	5	2	2	8	1
New York City	6	-	-	-	-	-	-	1	3	1	1	-	-
Upstate New York	6	-	-	-	-	1	-	-	-	-	-	4	1
New Jersey	2	-	-	-	-	-	-	-	1	1	-	-	-
Pennsylvania	10	-	-	1	1	2	-	-	1	-	1	4	-
EAST NORTH CENTRAL ..	37	-	1	2	2	2	-	2	1	6	5	16	-
Ohio	3	-	-	-	-	-	-	-	-	1	-	2	-
Indiana	10	-	-	-	-	1	-	-	-	1	2	6	-
Illinois	18	-	1	1	1	1	-	1	1	4	2	6	-
Michigan	3	-	-	1	-	-	-	-	-	-	1	1	-
Wisconsin	3	-	-	-	1	-	-	1	-	-	-	1	-
WEST NORTH CENTRAL ..	29	-	1	1	1	-	-	-	4	2	5	14	1
Minnesota	12	-	-	-	-	-	-	-	1	2	2	6	1
Iowa	5	-	-	-	1	-	-	-	1	-	1	2	-
Missouri	7	-	-	1	-	-	-	-	-	-	2	4	-
North Dakota	1	-	-	-	-	-	-	-	1	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	2	-	-	-	-	-	-	-	-	-	-	2	-
Kansas	2	-	1	-	-	-	-	-	1	-	-	-	-
SOUTH ATLANTIC	67	5	5	5	3	-	2	1	6	11	9	19	1
Delaware	-	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	3	-	-	-	-	-	-	-	-	1	-	1	1
District of Columbia	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	5	-	-	-	-	-	1	-	1	1	-	2	-
West Virginia	1	-	-	1	-	-	-	-	-	-	-	-	-
North Carolina	10	1	-	-	-	-	-	-	1	1	3	4	-
South Carolina	6	1	1	-	1	-	-	-	2	-	-	1	-
Georgia	13	2	-	1	1	-	1	-	1	3	2	2	-
Florida	29	1	4	3	1	-	-	1	1	5	4	9	-
EAST SOUTH CENTRAL ..	38	5	1	2	2	2	2	4	1	4	6	9	-
Kentucky	7	-	1	1	-	2	-	1	-	-	-	2	-
Tennessee	15	4	-	1	1	-	2	-	-	1	3	3	-
Alabama	14	1	-	-	1	-	-	3	1	2	2	4	-
Mississippi	2	-	-	-	-	-	-	-	-	1	1	-	-
WEST SOUTH CENTRAL ..	71	25	5	7	3	1	4	1	1	1	8	15	-
Arkansas	13	2	1	1	1	-	2	-	-	-	1	5	-
Louisiana	13	4	1	1	-	-	-	-	-	1	2	4	-
Oklahoma	4	1	1	-	-	-	-	-	1	-	-	1	-
Texas	41	18	2	5	2	1	2	1	-	-	5	5	-
MOUNTAIN	3	-	-	-	-	-	-	-	1	-	-	2	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-	-
Colorado	2	-	-	-	-	-	-	-	1	-	-	1	-
New Mexico	-	-	-	-	-	-	-	-	-	-	-	-	-
Arizona	1	-	-	-	-	-	-	-	-	-	-	1	-
Utah	-	-	-	-	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC	26	1	2	2	1	-	1	2	2	3	4	8	-
Washington	-	-	-	-	-	-	-	-	-	-	-	-	-
Oregon	4	-	-	-	-	-	-	-	2	1	-	1	-
California	21	1	2	2	1	-	1	2	-	2	3	7	-
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii	1	-	-	-	-	-	-	-	-	-	1	-	-
Puerto Rico	70	9	9	8	5	2	3	-	1	9	10	13	1

TABLE 8. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1965 — Continued

(F) TYPHOID FEVER

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	454	4	84	80	46	42	39	23	33	33	29	24	17
NEW ENGLAND	6	-	2	-	1	-	-	-	2	1	-	-	-
Maine	-	-	-	-	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	3	-	1	-	-	-	-	-	1	1	-	-	-
Rhode Island	1	-	-	-	1	-	-	-	-	-	-	-	-
Connecticut	2	-	1	-	-	-	-	-	1	-	-	-	-
MIDDLE ATLANTIC	67	-	10	9	10	8	8	2	6	2	6	6	-
New York City	31	-	5	3	5	5	4	1	3	1	2	2	-
Upstate New York	14	-	3	2	1	1	2	-	2	-	1	2	-
New Jersey	6	-	-	-	1	1	-	-	1	-	1	2	-
Pennsylvania	16	-	2	4	3	1	2	1	-	1	2	-	-
EAST NORTH CENTRAL ..	56	-	8	17	4	4	6	5	2	2	2	3	3
Ohio	19	-	4	6	1	2	1	2	1	-	-	-	2
Indiana	17	-	2	5	2	-	1	2	-	1	2	1	1
Illinois	9	-	1	3	1	1	1	1	-	1	-	-	-
Michigan	7	-	1	3	-	1	2	-	-	-	-	-	-
Wisconsin	4	-	-	-	-	-	1	-	1	-	-	2	-
WEST NORTH CENTRAL ..	17	-	1	1	2	4	2	1	2	1	3	-	-
Minnesota	1	-	-	-	1	-	-	-	-	-	-	-	-
Iowa	2	-	-	-	-	1	-	-	-	-	1	-	-
Missouri	10	-	1	1	1	2	2	-	1	1	1	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	3	-	-	-	-	1	-	-	1	-	1	-	-
Kansas	1	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH ATLANTIC	69	3	13	14	7	6	1	3	4	7	4	4	3
Delaware	5	1	-	-	-	-	1	2	-	-	1	-	-
Maryland	10	2	1	2	1	-	-	-	-	1	2	1	-
District of Columbia	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	9	-	2	1	2	1	-	-	-	2	-	-	1
West Virginia	3	-	1	1	1	-	-	-	-	-	-	-	-
North Carolina	13	-	-	4	1	2	-	1	2	1	1	1	-
South Carolina	9	-	-	-	1	2	-	-	2	3	-	-	1
Georgia	14	-	8	3	1	1	-	-	-	-	-	1	-
Florida	6	-	1	3	-	-	-	-	-	-	-	1	1
EAST SOUTH CENTRAL ..	46	-	8	8	8	3	5	3	5	2	-	4	-
Kentucky	7	-	2	1	1	-	-	1	1	-	-	1	-
Tennessee	18	-	3	2	2	2	1	-	4	1	-	3	-
Alabama	11	-	2	5	4	-	-	-	-	-	-	-	-
Mississippi	10	-	1	-	1	1	4	2	-	1	-	-	-
WEST SOUTH CENTRAL ..	65	-	15	15	5	7	3	3	5	4	5	2	1
Arkansas	16	-	4	1	-	3	2	-	2	2	2	-	-
Louisiana	12	-	2	4	1	1	-	-	-	1	2	1	-
Oklahoma	10	-	1	3	1	1	-	1	1	-	1	1	-
Texas	27	-	8	7	3	2	1	2	2	1	-	-	1
MOUNTAIN	49	1	5	3	1	5	6	2	2	9	2	3	10
Montana	1	-	-	1	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming	1	-	-	-	-	-	-	-	-	-	-	-	1
Colorado	1	-	-	-	-	-	-	-	-	-	1	-	-
New Mexico	29	1	4	2	-	3	4	2	2	8	1	2	-
Arizona	14	-	1	-	-	2	2	-	-	1	-	1	7
Utah	1	-	-	-	1	-	-	-	-	-	-	-	-
Nevada	2	-	-	-	-	-	-	-	-	-	-	-	2
PACIFIC	79	-	22	13	8	5	8	4	5	5	7	2	-
Washington	7	-	1	-	1	-	-	-	1	-	3	1	-
Oregon	6	-	1	-	1	1	2	-	-	1	-	-	-
California	66	-	20	13	6	4	6	4	4	4	4	1	-
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rico	18	-	3	3	3	1	3	1	2	1	-	1	-

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY MONTH, 1965

(A) HEPATITIS (Infectious and Serum)

AREA	Total	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Mo.Unk
UNITED STATES	33,856	3,309	3,181	3,593	2,896	2,634	2,401	2,356	2,329	2,786	2,644	2,499	3,161	67
NEW ENGLAND	1,846	184	193	225	174	155	151	114	117	158	124	122	129	-
Maine	336	44	43	42	45	17	16	18	23	17	17	21	33	-
New Hampshire	174	15	23	14	15	22	14	11	20	17	10	6	7	-
Vermont	93	20	12	5	3	3	21	6	3	8	8	2	2	-
Massachusetts	721	53	66	93	68	68	54	53	50	64	44	62	46	-
Rhode Island	207	18	23	36	22	22	18	9	7	13	4	13	22	-
Connecticut	315	34	26	35	21	23	28	17	14	39	41	18	19	-
MIDDLE ATLANTIC	6,001	640	514	617	486	417	415	501	441	496	409	432	633	-
New York City	1,248	104	80	134	94	75	93	103	103	98	114	123	127	-
Upstate New York	2,258	326	248	232	178	144	127	191	143	175	110	120	264	-
New Jersey	1,050	58	68	137	90	112	80	114	76	90	80	58	87	-
Pennsylvania	1,445	152	118	114	124	86	115	93	119	133	105	131	155	-
EAST NORTH CENTRAL ...	6,618	589	688	650	524	525	482	394	458	574	508	523	693	10
Ohio	1,748	220	197	190	139	119	113	87	106	170	129	124	144	10
Indiana	568	30	70	47	29	64	43	55	41	35	46	44	64	-
Illinois	1,247	97	150	114	138	86	66	88	85	124	97	98	104	-
Michigan	2,625	210	248	248	189	208	225	146	201	197	207	231	315	-
Wisconsin	430	32	23	51	29	48	35	18	25	48	29	26	66	-
WEST NORTH CENTRAL ..	1,852	250	191	203	235	169	99	107	100	118	126	127	127	-
Minnesota	236	21	18	18	20	18	21	10	17	16	24	29	24	-
Iowa	593	116	64	64	102	54	27	29	40	18	23	25	31	-
Missouri	402	41	36	40	36	49	21	46	12	25	30	39	27	-
North Dakota	35	2	4	3	3	3	2	1	2	7	1	4	3	-
South Dakota	24	4	2	2	5	3	-	1	-	1	2	2	2	-
Nebraska	103	5	6	4	10	7	6	5	9	14	19	7	11	-
Kansas	459	61	61	72	59	35	22	15	20	37	27	21	29	-
SOUTH ATLANTIC	3,557	380	270	356	308	265	263	223	263	284	312	249	327	57
Delaware	95	6	22	18	6	6	1	1	-	5	12	2	16	-
Maryland	644	101	43	75	29	35	47	27	47	38	49	54	89	10
District of Columbia	57	5	2	6	5	3	5	1	9	3	3	8	7	-
Virginia	780	63	40	101	123	58	48	32	49	81	81	51	53	-
West Virginia	467	71	57	57	19	34	45	24	39	24	28	24	45	-
North Carolina	397	35	22	28	25	24	25	43	35	45	36	40	39	-
South Carolina	148	19	14	3	11	19	13	9	16	22	9	7	6	-
Georgia	166	12	14	9	10	9	10	13	10	3	13	5	11	47
Florida	803	68	56	59	80	77	69	73	58	63	81	58	61	-
EAST SOUTH CENTRAL ...	2,384	194	313	284	192	189	103	164	159	203	187	185	211	-
Kentucky	870	61	112	106	63	55	37	65	41	100	61	77	92	-
Tennessee	805	78	128	118	50	65	24	48	47	48	70	58	71	-
Alabama	413	34	48	31	36	38	34	32	39	39	31	26	25	-
Mississippi	296	21	25	29	43	31	8	19	32	16	25	24	23	-
WEST SOUTH CENTRAL ...	2,768	349	292	259	244	207	196	263	195	213	219	172	159	-
Arkansas	348	36	58	48	21	23	30	17	34	23	14	19	25	-
Louisiana	472	47	54	56	35	30	39	39	30	31	41	44	26	-
Oklahoma	62	21	5	4	8	2	4	4	6	-	4	2	2	-
Texas	1,886	245	175	151	180	152	123	203	125	159	160	107	106	-
MOUNTAIN	1,919	203	185	272	196	151	146	117	105	123	135	117	169	-
Montana	163	15	20	13	13	10	12	6	6	12	30	15	11	-
Idaho	203	36	15	49	36	15	6	5	10	12	2	9	8	-
Wyoming	61	14	9	1	2	4	2	2	1	3	2	8	13	-
Colorado	403	45	38	61	43	34	21	34	30	22	25	21	29	-
New Mexico	396	31	27	52	32	41	47	25	11	31	27	22	50	-
Arizona	383	41	35	44	29	30	31	26	35	31	26	30	25	-
Utah	229	19	26	40	32	15	20	8	12	4	16	12	25	-
Nevada	81	2	15	12	9	2	7	11	-	8	7	-	8	-
PACIFIC	6,911	520	535	727	537	556	546	473	491	617	624	572	713	-
Washington	586	56	58	55	41	53	46	27	37	46	38	52	77	-
Oregon	611	56	34	72	36	43	51	41	38	58	62	39	81	-
California	5,393	369	398	566	442	442	428	385	404	496	487	446	530	-
Alaska	231	34	42	31	16	14	12	15	7	15	10	18	17	-
Hawaii	90	5	3	3	2	4	9	5	5	2	27	17	8	-
Puerto Rico	1,474	34	107	184	115	102	154	134	138	153	102	110	141	-

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY MONTH, 1965 - Continued

(B) MEASLES (Rubeola)

AREA	Total	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Mo.Unk.
UNITED STATES	261,904	26,691	33,772	49,815	46,601	39,352	25,873	8,528	3,245	2,430	3,881	6,589	14,864	263
NEW ENGLAND	37,607	7,169	7,085	9,388	6,182	4,197	2,334	349	160	94	130	182	337	-
Maine	2,949	904	565	405	254	285	317	34	25	13	33	64	50	-
New Hampshire	490	184	100	79	55	41	21	7	-	1	1	1	-	-
Vermont	1,461	32	91	239	215	260	315	97	10	13	51	56	82	-
Massachusetts	19,512	4,116	4,141	4,929	3,261	1,845	789	110	92	22	29	32	146	-
Rhode Island	3,973	831	946	884	536	451	217	24	11	39	5	8	21	-
Connecticut	9,222	1,102	1,242	2,852	1,861	1,315	675	77	22	6	11	21	38	-
MIDDLE ATLANTIC	19,590	950	1,234	2,169	2,560	3,113	2,991	1,193	417	211	506	1,043	3,071	132
New York City	4,127	120	126	150	354	419	656	331	174	83	120	395	1,199	-
Upstate New York	4,480	344	382	733	676	655	822	378	119	34	91	99	147	-
New Jersey	4,160	155	221	387	429	516	504	233	84	47	206	325	921	132
Pennsylvania	6,823	331	505	899	1,101	1,523	1,009	251	40	47	89	224	804	-
EAST NORTH CENTRAL ...	65,835	4,732	6,313	10,133	10,284	11,063	8,486	2,977	1,067	572	1,121	2,585	6,442	60
Ohio	9,258	1,097	1,370	2,066	1,787	1,441	612	257	28	39	41	160	300	60
Indiana	2,337	97	154	445	249	288	347	71	73	40	171	170	232	-
Illinois	5,036	188	168	284	725	612	439	259	112	105	160	527	1,457	-
Michigan	28,132	2,304	3,435	5,387	5,144	5,025	3,471	1,073	408	197	272	412	1,004	-
Wisconsin	21,072	1,046	1,186	1,951	2,379	3,697	3,617	1,317	446	191	477	1,316	3,449	-
WEST NORTH CENTRAL ..	14,065	1,618	2,350	2,949	2,488	2,195	984	233	134	131	200	320	463	-
Minnesota	948	36	96	141	115	135	85	8	13	54	26	46	193	-
Iowa	5,618	621	1,077	1,277	936	833	512	53	32	14	43	98	122	-
Missouri	2,681	175	410	541	631	575	142	81	29	4	13	37	43	-
North Dakota *	4,223	687	724	885	699	511	181	86	59	52	116	130	93	-
South Dakota	116	21	5	26	12	12	32	3	1	3	-	-	1	-
Nebraska	479	78	38	79	95	129	32	2	-	4	2	9	11	-
Kansas	Not notifiable within State													
SOUTH ATLANTIC	27,706	4,218	4,794	5,273	4,088	3,118	2,119	1,081	328	384	522	592	1,168	21
Delaware	532	79	56	116	152	54	47	8	3	1	4	2	10	-
Maryland	1,427	63	255	205	186	184	127	87	32	9	22	41	203	13
District of Columbia	176	7	5	8	10	23	11	9	4	-	7	32	60	-
Virginia	4,524	779	566	828	721	735	414	149	47	33	54	58	140	-
West Virginia	14,883	2,820	3,245	3,081	1,579	1,077	1,016	556	174	300	256	342	437	-
North Carolina	379	58	35	51	53	88	38	9	1	2	11	9	16	8
South Carolina	1,267	91	116	187	372	186	73	33	5	7	69	34	94	-
Georgia	688	108	164	158	114	52	40	6	2	1	-	11	32	-
Florida	3,830	213	352	639	901	719	353	224	60	31	99	63	176	-
EAST SOUTH CENTRAL ...	16,474	1,680	1,842	2,814	3,867	2,115	1,067	424	151	286	334	569	1,325	-
Kentucky	3,802	84	183	511	1,200	177	164	79	24	161	142	282	795	-
Tennessee	8,994	1,093	1,114	1,555	1,738	1,506	607	252	92	94	157	271	515	-
Alabama	2,511	358	435	569	531	276	234	32	20	24	16	6	10	-
Mississippi	1,167	145	110	179	398	156	62	61	15	7	19	10	5	-
WEST SOUTH CENTRAL ...	32,352	2,352	5,023	7,110	7,252	5,798	2,116	838	360	274	352	315	562	-
Arkansas	1,195	25	595	161	101	165	32	2	3	-	1	3	107	-
Louisiana	144	6	14	19	28	12	20	10	4	3	4	6	18	-
Oklahoma	242	25	25	42	37	31	40	5	2	-	8	15	12	-
Texas	30,771	2,296	4,389	6,888	7,086	5,590	2,024	821	351	271	339	291	425	-
MOUNTAIN	18,617	1,641	2,049	3,414	3,579	2,762	2,547	762	267	189	294	403	660	50
Montana	1,461	155	163	284	197	92	241	61	43	14	60	42	59	50
Idaho	3,209	365	406	583	497	282	450	149	48	27	52	118	232	-
Wyoming	883	56	70	254	247	161	38	18	1	4	9	4	21	-
Colorado	6,027	302	396	982	1,402	1,263	996	231	42	74	87	151	101	-
New Mexico	694	53	46	195	175	56	79	66	4	3	2	8	7	-
Arizona	1,593	57	79	204	209	297	264	106	75	41	30	56	175	-
Utah	4,494	650	863	864	780	551	452	129	53	25	52	18	57	-
Nevada	256	3	26	48	72	60	27	2	1	1	2	6	8	-
PACIFIC	29,658	2,331	3,082	6,565	6,301	4,991	3,229	671	361	289	422	580	836	-
Washington	7,944	792	953	2,011	1,587	1,511	605	50	14	31	65	128	197	-
Oregon	3,553	475	442	875	673	368	277	66	40	75	66	81	115	-
California	13,873	798	1,334	2,973	3,191	2,412	1,635	313	199	137	150	255	476	-
Alaska	238	23	32	38	12	14	9	16	21	17	4	13	39	-
Hawaii	4,050	243	321	668	838	686	703	226	87	29	137	103	9	-
Puerto Rico	2,977	105	137	460	441	422	436	180	109	113	138	186	250	-

*Includes Rubella.

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY MONTH, 1965 - Continued

(C) MENINGOCOCCAL INFECTIONS

AREA	Total	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Mo.Unk
UNITED STATES	3,040	258	331	483	367	263	221	174	111	117	179	197	322	17
NEW ENGLAND	147	17	17	17	14	14	7	11	4	8	8	11	19	-
Maine	19	5	1	-	1	1	2	5	-	2	1	1	-	-
New Hampshire	10	1	-	1	2	2	-	-	2	-	-	-	2	-
Vermont	9	-	-	1	3	-	-	4	-	-	-	-	1	-
Massachusetts	61	7	7	6	6	4	4	1	2	3	5	8	8	-
Rhode Island	17	1	3	6	-	3	-	-	-	-	-	2	2	-
Connecticut	31	3	6	3	2	4	1	1	-	3	2	-	6	-
MIDDLE ATLANTIC	377	30	51	49	45	22	24	23	12	16	26	36	43	-
New York City	68	9	4	9	9	7	6	5	2	3	1	5	8	-
Upstate New York	121	8	15	13	22	5	7	9	8	6	4	12	12	-
New Jersey	85	7	14	13	4	5	4	5	-	3	7	11	12	-
Pennsylvania	103	6	18	14	10	5	7	4	2	4	14	8	11	-
EAST NORTH CENTRAL ...	459	31	36	63	39	43	42	35	23	26	32	41	45	3
Ohio	123	10	8	18	11	9	8	12	4	8	10	11	11	3
Indiana	56	4	3	8	7	6	6	4	2	1	4	1	10	-
Illinois	125	10	8	17	14	11	10	9	9	10	5	13	9	-
Michigan	107	4	9	9	6	13	13	7	6	5	8	13	14	-
Wisconsin	48	3	8	11	1	4	5	3	2	2	5	3	1	-
WEST NORTH CENTRAL ..	151	12	14	33	19	16	8	8	3	8	7	5	18	-
Minnesota	35	4	3	7	3	2	1	3	-	4	3	1	4	-
Iowa	14	-	-	1	1	3	1	1	-	2	3	-	2	-
Missouri	56	6	8	18	5	7	2	3	-	1	-	1	5	-
North Dakota	15	1	-	-	1	3	1	1	2	1	-	1	4	-
South Dakota	4	-	1	1	-	-	-	-	1	-	-	-	1	-
Nebraska	11	-	-	2	7	-	1	-	-	-	-	-	1	-
Kansas	16	1	2	4	2	1	2	-	-	-	1	2	1	-
SOUTH ATLANTIC	587	63	65	87	87	40	43	29	21	14	28	36	60	14
Delaware	11	2	-	1	-	1	1	1	1	-	3	-	1	-
Maryland	68	3	5	10	8	1	7	1	3	2	2	6	8	12
District of Columbia	12	2	1	1	-	-	2	2	1	-	1	1	1	-
Virginia	75	7	9	5	7	8	8	3	2	3	6	9	8	-
West Virginia	30	4	4	3	12	-	-	1	-	-	1	1	4	-
North Carolina	122	10	16	16	14	7	12	6	7	5	5	11	13	-
South Carolina	68	8	8	10	19	6	3	2	2	1	3	2	4	-
Georgia	71	10	12	10	11	6	3	1	1	1	4	2	8	2
Florida	130	17	10	31	16	11	7	12	4	2	3	4	13	-
EAST SOUTH CENTRAL ...	246	17	13	35	45	32	17	16	10	7	12	14	28	-
Kentucky	87	7	1	18	20	12	5	4	2	2	5	2	9	-
Tennessee	75	6	8	8	13	10	3	2	6	5	3	4	7	-
Alabama	47	4	3	3	10	2	7	3	2	-	1	4	8	-
Mississippi	37	-	1	6	2	8	2	7	-	-	3	4	4	-
WEST SOUTH CENTRAL ...	386	36	46	93	54	23	33	15	6	8	19	17	36	-
Arkansas	19	2	4	4	2	1	1	-	-	1	1	2	1	-
Louisiana	203	6	21	59	37	10	21	8	4	3	10	9	15	-
Oklahoma	24	7	3	6	2	-	-	1	-	1	1	1	2	-
Texas	140	21	18	24	13	12	11	6	2	3	7	5	18	-
MOUNTAIN	112	4	20	16	9	10	7	1	2	4	13	9	17	-
Montana	3	-	-	-	-	-	1	-	-	-	-	-	2	-
Idaho	15	-	1	4	1	-	2	1	1	-	2	2	1	-
Wyoming	6	-	1	1	-	1	1	-	-	-	-	1	1	-
Colorado	30	1	6	2	2	2	-	-	-	1	9	3	3	-
New Mexico	11	-	3	3	1	3	-	-	-	1	-	-	-	-
Arizona	24	1	4	5	4	1	-	-	-	-	1	3	5	-
Utah	11	-	4	1	-	1	1	-	-	1	1	-	2	-
Nevada	12	2	1	-	1	2	2	-	-	1	-	-	3	-
PACIFIC	575	48	69	90	55	63	40	36	30	26	34	28	56	-
Washington	61	1	9	9	4	9	6	4	1	1	4	3	10	-
Oregon	43	2	5	11	4	5	4	-	5	1	1	2	3	-
California	449	44	55	65	45	41	27	32	24	22	28	23	43	-
Alaska	15	1	-	4	1	4	3	-	-	2	-	-	-	-
Hawaii	7	-	-	1	1	4	-	-	-	-	1	-	-	-
Puerto Rico	14	-	2	1	-	1	-	1	1	4	2	-	2	-

TABLE 10. ACUTE DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, BY STATE, 1965

AREA	ANCLYO- STOMIASIS (Hookworm)	ANIMAL BITES	CHICKENPOX	CONJUNCTIVITIS (Pink Eye)	DIARRHEA OF NEWBORN	ERYSIPELAS	GASTROENTERIC INFECTIONS
NO. CASES REPORTED ...	4,821	110,869	153,682	5,320	690	95	43,754
No. States Reporting	(11)	(17)	(40)	(21)	(14)	(16)	(20)
NEW ENGLAND							
Maine	2,936	131
New Hampshire	48	392
Vermont	1,748	6
Massachusetts	21,445	12,467	...	2	2	...
Rhode Island	1,105	2,436
Connecticut	246	...	9,565	50	...	4	107
MIDDLE ATLANTIC							
New York City	7,423	...	79
Upstate New York	192	9	51
New Jersey
Pennsylvania	132	17,237
EAST NORTH CENTRAL ..							
Ohio	1	...	9,406	13	28	6	665
Indiana	9,589	4,218	1,375	...	11	...
Illinois	29,217	9,165	1	125	...	910
Michigan	25,631	14,469	303	223	21	...
Wisconsin	33,279	11
WEST NORTH CENTRAL ..							
Minnesota	13	3,879	57	1	15	11	878
Iowa	6,084	280
Missouri	1	1,511	4	7	1	...
North Dakota	38	1,831	978	...	15	...
South Dakota	31
Nebraska	377	9	...	1	220
Kansas	9
SOUTH ATLANTIC							
Delaware	272	24
Maryland	1,399
District of Columbia	342	...	33	2	8
Virginia
West Virginia	1,267	5,894	486	22	3	10,089
North Carolina	185
South Carolina	133
Georgia	3,441	...	20
Florida	2,874	...	59
EAST SOUTH CENTRAL ..							
Kentucky	11	...	2,826	800	2,882
Tennessee
Alabama	810
Mississippi	949	...	303	...	1	...	3
WEST SOUTH CENTRAL ..							
Arkansas	4	831	483	1
Louisiana	358
Oklahoma
Texas
MOUNTAIN							
Montana	54	1,246	477
Idaho	734	3	74
Wyoming	9	174	40
Colorado
New Mexico	262	11,673
Arizona	3,607	298
Utah	831	1	113
Nevada	367	1	92
PACIFIC							
Washington	1	...	10,639	12,113
Oregon	31	1	4	9	139
California	41
Alaska	27	610	763	2,827
Hawaii	14	...	2,371	35	...	4	...
Puerto Rico	3,416

TABLE 10. ACUTE DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, BY STATE, 1965 — Continued

AREA	HISTOPLASMOSIS	MENINGITIS (Other & Unspecified)	MONONUCLEOSIS, INFECTIOUS	MUMPS	RESPIRATORY INFECTIONS	RINGWORM	RUBELIA (German Measles)
NO. CASES REPORTED . . .	254	2,783	8,322	114,491	249,219	4,477	100,842
No. States Reporting	(18)	(41)	(30)	(38)	(17)	(21)	(37)
NEW ENGLAND							
Maine	18	124	2,844	...	29	953
New Hampshire	7	5	6	690	...	163
Vermont	4	516	498
Massachusetts	224	...	6,311	2,839
Rhode Island	52	46	1,775	...	18	234
Connecticut	1	138	1,389	4,816	794	109	1,719
MIDDLE ATLANTIC							
New York City	233	...	6,266	1,031
Upstate New York	292	1,474
New Jersey
Pennsylvania	4	139	496
EAST NORTH CENTRAL							
Ohio	12	84	161	3,611	2,348
Indiana	16	65	713	2,469	...	159	1,911
Illinois	61	285	...	4,890	...	114	4,850
Michigan	160	810	9,419	4,912	1,085	9,937
Wisconsin	8	1	2	16,905	587	180	9,570
WEST NORTH CENTRAL							
Minnesota	11	67	1,727	73	132	35	1,910
Iowa	20	74	354	3,871	...	126	3,798
Missouri	7	14	9	1,221	255	21	39
North Dakota	2,120	...	114	...
South Dakota	12	2	46
Nebraska	2	1	238	13
Kansas	12	29	75	...
SOUTH ATLANTIC							
Delaware	31	9	320	113	...	111
Maryland	98	...	1,231	248
District of Columbia	38	...	194	749	1	16
Virginia	4
West Virginia	8	163	2,317	2,091
North Carolina
South Carolina	6	2,184
Georgia	85	5,423	...	285
Florida	5	2,030	892
EAST SOUTH CENTRAL							
Kentucky	5	102	81	2,459	...	13	1,190
Tennessee	70,705
Alabama	3	52	87	459	169
Mississippi	17	55	55	371	1,167
WEST SOUTH CENTRAL							
Arkansas	54	45	28	240	428
Louisiana	5	...	38
Oklahoma
Texas
MOUNTAIN							
Montana	2	43	10	2,526
Idaho	21	43	852	1,088
Wyoming	5	32	164
Colorado	44	...	2,199	...	59	1,973
New Mexico	21	135	71	18,292	...	272
Arizona	9	...	1,133	3,231	...	395	2,076
Utah	42	49	1,370	3,963	78	1,489
Nevada	3	...	158	309	...	22
PACIFIC							
Washington	93	22	9,604	112,138	1,733	25,258
Oregon	104	16,532	40	12,956
California	17,827
Alaska	19	...	1,423	11,441	83	451
Hawaii	9	49	592	3,345
Puerto Rico	98	...	1,193	430

TABLE 11. OTHER DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, 1965

(Reported by more than one, but less than 10 States)

Ascariasis	Ark. 13, Hawaii 1, Ill. 3, Kans. 2, Ky. 1, Minn. 11, Miss. 389
Cat Scratch Fever	Fla. 4, Ill. 1, S.C. 2
Coxsackie Infections	Minn. 18, Utah 1
ECHO Infections	Minn. 9, N.H. 1, Utah 2
Erythema	Utah 1, Wash. 39
Fungal Infections,	
Actinomycosis:	Ala. 1, Conn. 1, Iowa 1, Kans. 1, Mass. 1, Minn. 2, N.H. 1, Pa. 2
Aspergillosis:	Minn. 1
Blastomycosis:	Ark. 20, Fla. 1, Ill. 3, La. 13
Coccidioidomycosis:	Ariz. 827, Cal. 295, Ida. 1, Ill. 2, Kans. 1, N.M. 1, Ore. 2, Pa. 1
Cryptococcosis:	Fla. 9, Ill. 2, La. 11, Wash. 2
Nocardiosis:	Minn. 3
Sporotrichosis:	Nev. 1
Non-specific:	Ill. 4
Impetigo	Alaska 854, Mich. 1,449, Mo. 20, Nebr. 9, Nev. 14, N.H. 7, Ore. 33, Wyo. 27
Keratoconjunctivitis	Alaska 29, Ind. 28, Kans. 1, N.Y.C. 23, Ore. 1
Listeriosis	Fla. 2, La. 3, Minn. 1, Ore. 2
Otitis Media	Alaska 5,867, Nev. 92
Pediculosis	Mich. 68, Nebr. 43
Q Fever	Calif. 25, Conn. 1, Ida. 10, Wisc. 1, Wyo. 1
Scabies	Mich. 24, Ore. 117, Wash. 155
Schistosomiasis	Fla. 1, N.Y.C. 304
Staph. Infections	Alaska 366, Del. 338, D.C. 8, Ill. 759, Ore. 124, Utah 2, Wash. 2,775
Tick-borne diseases,	
Colorado tick fever:	Ariz. 1, Colo. 156, Mont. 1, Nebr. 1, Nev. 1, Ore. 8, Utah 11, Wyo. 7
Tick bite paralysis:	Ore. 2
Toxoplasmosis	Fla. 2, Ill. 2, Minn. 1, Pa. 3, Wash. 2
Trachoma	Colo. 1, Mo. 1, Nebr. 14, Nev. 180, Ore. 9, Wash. 10
Vincent's Infection	Alaska 2, Ida. 8, Ky. 3, Mo. 2, S.D. 1, Wash. 5



TABLE 12. CUMULATIVE WEEKLY TOTAL NUMBER OF DEATHS IN 122 UNITED STATES CITIES
FOR YEAR 1965 (THROUGH 52ND WEEK ENDED JANUARY 1, 1966)

(By place of occurrence and week of filing certificate. Excludes fetal deaths)

AREA	All Causes		Pneu- monia and Influenza All Ages	Under 1 year All Causes	AREA	All Causes		Pneu- monia and Influenza All Ages	Under 1 year All Causes
	All Ages	65 years and over				All Ages	65 years and over		
NEW ENGLAND:	38,993	23,953	2,002	2,067	SOUTH ATLANTIC:	59,891	30,410	2,711	3,857
Boston, Mass.	13,095	7,540	514	665	Atlanta, Ga.	6,540	2,886	315	510
Bridgeport, Conn.	2,113	1,276	196	142	Baltimore, Md.	13,490	6,785	395	861
Cambridge, Mass.	1,518	1,015	56	48	Charlotte, N. C.	2,211	917	123	181
Fall River, Mass.	1,499	1,030	51	55	Jacksonville, Fla.	3,652	1,688	109	269
Hartford, Conn.	2,714	1,487	66	236	Miami, Fla.	4,395	2,420	73	205
Lowell, Mass.	1,425	914	106	90	Norfolk, Va.	2,870	1,367	223	212
Lynn, Mass.	1,171	836	65	38	Richmond, Va.	4,626	2,382	111	332
New Bedford, Mass.	1,518	1,085	75	46	Savannah, Ga.	1,796	795	146	105
New Haven, Conn.	2,624	1,501	67	176	St. Petersburg, Fla.	4,065	3,191	251	85
Providence, R. I.	3,490	2,160	191	193	Tampa, Fla.	3,905	2,214	392	214
Somerville, Mass.	705	487	49	29	Washington, D. C.	10,023	4,596	452	733
Springfield, Mass.	2,491	1,599	247	107	Wilmington, Del.	2,318	1,169	121	150
Waterbury, Conn.	1,635	1,069	35	105					
Worcester, Mass.	2,995	1,954	284	137	EAST SOUTH CENTRAL:	31,137	16,342	1,609	2,054
MIDDLE ATLANTIC:	172,314	100,454	7,440	8,665	Birmingham, Ala.	4,657	2,330	84	299
Albany, N. Y.	2,437	1,349	58	122	Chattanooga, Tenn.	2,490	1,270	201	182
Allentown, Pa.	1,923	1,207	104	59	Knoxville, Tenn.	2,009	1,212	67	88
Buffalo, N. Y.	7,632	4,538	248	413	Louisville, Ky.	6,285	3,496	592	385
Camden, N. J.	2,158	1,211	117	145	Memphis, Tenn.	6,611	3,322	228	499
Elizabeth, N. J.	1,702	973	86	98	Mobile, Ala.	2,416	1,146	74	204
Erie, Pa.	2,164	1,364	135	110	Montgomery, Ala.	1,898	974	158	117
Jersey City, N. J.	3,709	2,133	308	190	Nashville, Tenn.	4,771	2,592	205	280
Newark, N. J.	5,066	2,406	262	468	WEST SOUTH CENTRAL:	56,707	28,897	2,319	4,315
New York City, N. Y.	87,357	50,894	3,477	4,088	Austin, Tex.	1,906	1,102	230	122
Paterson, N. J.	1,973	1,162	137	128	Baton Rouge, La.	1,706	872	53	134
Philadelphia, Pa.	25,981	14,856	712	1,338	Corpus Christi, Tex.	1,408	666	44	127
Pittsburgh, Pa.	10,116	5,523	285	521	Dallas, Tex.	7,380	3,636	205	555
Reading, Pa.	2,637	1,707	218	91	El Paso, Tex.	1,878	898	128	243
Rochester, N. Y.	5,355	3,402	504	328	Fort Worth, Tex.	3,878	2,094	125	274
Schenectady, N. Y.	1,364	864	61	54	Houston, Tex.	10,273	4,738	303	733
Scranton, Pa.	1,989	1,304	84	50	Little Rock, Ark.	3,018	1,598	163	227
Syracuse, N. Y.	3,121	1,908	101	196	New Orleans, La.	9,580	4,707	336	748
Trenton, N. J.	2,394	1,383	156	131	Oklahoma City, Okla.	4,234	2,258	117	306
Utica, N. Y.	1,478	1,109	248	56	San Antonio, Tex.	5,675	3,178	153	411
Yonkers, N. Y.	1,758	1,161	139	79	Shreveport, La.	2,784	1,453	268	257
EAST NORTH CENTRAL:	134,948	75,650	5,049	8,128	Tulsa, Okla.	2,987	1,697	194	178
Akron, Ohio	3,308	1,854	32	203	MOUNTAIN:	20,614	11,600	994	1,300
Canton, Ohio	1,936	1,182	205	108	Albuquerque, N. Mex.	1,909	960	153	148
Chicago, Ill.	39,186	20,799	1,762	2,546	Colorado Springs, Colo.	980	620	98	61
Cincinnati, Ohio	8,221	4,984	219	392	Denver, Colo.	6,036	3,394	265	413
Cleveland, Ohio	10,848	5,940	173	605	Ogden, Utah	925	548	78	54
Columbus, Ohio	6,349	3,489	160	415	Phoenix, Ariz.	4,818	2,642	198	285
Dayton, Ohio	4,028	2,279	90	240	Pueblo, Colo.	909	511	40	73
Detroit, Mich.	18,761	10,224	754	1,050	Salt Lake City, Utah	2,577	1,507	90	162
Evansville, Ind.	2,127	1,401	90	84	Tucson, Ariz.	2,460	1,418	72	104
Flint, Mich.	2,609	1,357	109	222	PACIFIC:	82,480	48,407	2,304	4,557
Fort Wayne, Ind.	2,301	1,340	157	123	Berkeley, Calif.	960	627	13	28
Gary, Ind.	1,759	838	152	165	Fresno, Calif.	2,366	1,283	64	162
Grand Rapids, Mich.	2,584	1,703	189	138	Glendale, Calif.	1,932	1,395	21	60
Indianapolis, Ind.	8,042	4,453	234	520	Honolulu, Hawaii	2,352	1,065	56	255
Madison, Wis.	1,994	1,018	2	163	Long Beach, Calif.	3,569	2,170	42	169
Milwaukee, Wis.	6,625	4,047	175	396	Los Angeles, Calif.	27,003	15,310	1,030	1,753
Peoria, Ill.	1,856	1,043	39	190	Oakland, Calif.	4,685	2,713	95	259
Rockford, Ill.	1,595	954	155	104	Pasadena, Calif.	1,852	1,305	15	42
South Bend, Ind.	2,027	1,267	136	87	Portland, Oreg.	5,843	3,537	99	273
Toledo, Ohio	5,616	3,485	175	265	Sacramento, Calif.	3,510	2,022	82	196
Youngstown, Ohio	3,176	1,993	41	112	San Diego, Calif.	5,006	2,814	164	356
WEST NORTH CENTRAL:	43,819	26,341	1,553	2,578	San Francisco, Calif.	10,086	5,764	206	404
Des Moines, Iowa	3,056	1,984	110	134	San Jose, Calif.	1,858	1,117	113	115
Duluth, Minn.	1,420	951	12	66	Seattle, Wash.	6,902	4,202	188	290
Kansas City, Kans.	2,087	1,035	164	251	Spokane, Wash.	2,667	1,806	57	117
Kansas City, Mo.	6,977	4,230	203	361	Tacoma, Wash.	1,889	1,277	59	78
Lincoln, Nebr.	1,416	958	78	80					
Minneapolis, Minn.	6,204	3,855	124	368	Total	640,903	362,054	25,981	37,521
Omaha, Nebr.	3,932	2,301	117	229					
St. Louis, Mo.	12,675	7,328	402	721					
St. Paul, Minn.	3,660	2,351	96	204					
Wichita, Kans.	2,392	1,348	247	164					

DISEASE TRENDS


Anthrax	29
Botulism	29
Brucellosis	30
Diphtheria	31-32
Encephalitis	33-34
Hepatitis	35
Leprosy	36
Leptospirosis	37
Malaria	38
Measles (Rubeola)	39
Meningococcal Infections	40
Meningitis, Aseptic	41
Pertussis	42
Plague	43
Pneumonia-Influenza Deaths — 122 Cities	44
Mortality in 122 Cities	45
Poliomyelitis	46-47
Rabies	48-49
Rocky Mountain Spotted Fever (tick-borne typhus)	50
Rubella (German Measles)	51
Salmonella	52
Shigella	53
Trichinosis	53
Tetanus	54
Tularemia	55
Typhoid Fever	56
Typhus Fever (flea-borne, murine)	57
Venereal Diseases	58-59




REPORTED HUMAN BRUCELLOSIS United States, 1950-1965



BRUCELLOSIS Reported Cases Per 100,000 Population 1965



DIPHTHERIA
Reported Annual Case and Death Rates and Case-Fatality Ratio
United States, 1920-1965



NATIONAL DIPHTHERIA SURVEILLANCE PROGRAM - 1965
Number of Reported Cases and Deaths

Immunization Status	Deaths	Non-fatal Cases	Total Clinical Cases	Carriers
Fully	0	24	24	33
Lapsed	0	19	19	6
Inadequate	1	22	23	9
None.	13	69	82	27
Unknown Status	2	18	20	34
Total	16	152	168	109


Total Reported by States in 1965 Summaries . .

164


DIPHTHERIA
Geographic Distribution, United States, 1965



DIPHTHERIA CASES BY FIVE-YEAR AGE GROUPS
United States, 1965
Surveillance Program




NATIONAL ENCEPHALITIS SURVEILLANCE PROGRAM, 1965
Total Cases by Month of Onset by Broad Geographic Areas




POST-INFECTIOUS ENCEPHALITIS
Associated with Measles, Mumps, Chickenpox and Rubella, 1965




ST. LOUIS ENCEPHALITIS




WESTERN ENCEPHALITIS





CALIFORNIA ENCEPHALITIS




EASTERN ENCEPHALITIS





LEPROSY
Reported Cases, 1950-1965



LEPROSY
Reported Cases by Month, 1965




LEPTOSPIROSIS

Reported Cases by State, 1965




LEPTOSPIROSIS


Reported Cases by Month, 1965




MALARIA
Reported in the United States, 1933-1965




MALARIA
Military and Civilian, United States, 1956-1965





MEASLES
Reported Cases and Deaths by Month
United States, 1960-1965



MEASLES (RUBEOLA)
Deaths in the United States
Percent Distribution by Age, 1960-1964






A line graph titled "United States, 1964-1965" showing the monthly number of cases. The y-axis is labeled "NUMBER OF CASES" and ranges from 0 to 400 in increments of 50. The x-axis shows months from J (January) to D (December) for both 1964 and 1965. The graph shows two distinct waves. The first wave begins in early 1964, rises steadily through June, peaks at approximately 370 cases in September, and then declines to about 100 cases by February 1965. A second wave starts in May 1965, rises sharply through July, peaks again at approximately 350 cases in September, and then declines to around 170 cases by December 1965.

Month	Number of Cases (approx.)
J 1964	120
F 1964	95
M 1964	110
A 1964	115
M 1964	125
J 1964	145
J 1964	240
A 1964	300
S 1964	370
O 1964	230
N 1964	190
D 1964	170
J 1965	120
F 1965	95
M 1965	155
A 1965	115
M 1965	118
J 1965	150
J 1965	260
A 1965	325
S 1965	350
O 1965	250
N 1965	165
D 1965	175

U.S. REPORTED CASE RATE 12

Case Rate Category	States
LESS THAN 0.5	Alaska, Hawaii, Puerto Rico
0.5 TO 0.9	Montana, North Dakota, South Dakota, Nebraska, Kansas, Oklahoma, Missouri, Illinois, Indiana, Michigan, Wisconsin, Minnesota, Iowa, Arkansas, Louisiana, Mississippi, Alabama, Georgia, Florida
1.0 TO 1.9	Washington, Oregon, Nevada, Arizona, Idaho, Utah, Colorado, Wyoming, Montana, North Dakota, South Dakota, Nebraska, Kansas, Oklahoma, Missouri, Illinois, Indiana, Michigan, Wisconsin, Minnesota, Iowa, Arkansas, Louisiana, Mississippi, Alabama, Georgia, Florida
2.0 OR GREATER	California, Texas, New York

PERTUSSIS
Reported Cases in the United States, 1950-1965




PERTUSSIS
Reported Deaths in the United States, 1950-1964



HUMAN PLAGUE

Counties Reporting One or More Cases, 1900-1965




HUMAN PLAGUE


Cases in the United States by Age and Sex, 1950-1965




PNEUMONIA-INFLUENZA DEATHS IN 122 UNITED STATES CITIES



MORTALITY IN 122 UNITED STATES CITIES




POLIOMYELITIS
Annual Incidence Rates, United States, 1935-1965



*PARALYTIC CASES PRIOR TO 1951 ASSUMED TO BE 50% OF TOTAL.
SINCE 1951, CASES REPORTED AS UNSPECIFIED WERE PRORATED
AMONG PARALYTIC AND NONPARALYTIC CASES.


POLIOMYELITIS
Paralytic Cases by Date of Onset, 1961-1965




PARALYTIC POLIOMYELITIS
Geographic Distribution, United States, 1965




PARALYTIC POLIOMYELITIS
Five-Year Age Groups, United States, 1965





RABIES
Reported Human Cases, 1950-1965




RABIES
Cases in Wild and Domestic Animals, 1953-1965








ROCKY MOUNTAIN SPOTTED FEVER
Reported Cases in the United States, 1950-1965





ROCKY MOUNTAIN SPOTTED FEVER
Geographic Distribution, United States, 1965




RUBELLA By Month of Report for Selected States, 1955-1965





SHIGELLA


Number of Human Isolations in 17 States*




*ALASKA, ARIZONA, HAWAII, ILLINOIS, KANSAS, MARYLAND, NEW JERSEY, NEW MEXICO, NORTH CAROLINA, NORTH DAKOTA, OHIO, OKLAHOMA, OREGON, SOUTH DAKOTA, TENNESSEE, TEXAS AND VERMONT.

TRICHINOSIS

Reported Cases, United States, 1950-1965




TETANUS
Reported in the United States, 1950-1965




TETANUS
Geographic Distribution, United States, 1965





TULAREMIA
Reported Cases by Year, United States, 1950-1965




TULAREMIA
Seasonal Distribution, Percent of Cases by Month, United States






TYPHUS FEVER, FLEA-BORNE (ENDEMIC, MURINE)
Reported Cases, United States, 1949-1965




MURINE TYPHUS
Geographic Distribution, United States, 1965





GONORRHEA
Reported Civilian Cases, United States, 1954-1965



SYPHILIS
Primary, Secondary and Congenital
Reported Civilian Cases, United States, 1948-1965





UNIVERSITY OF FLORIDA



3 1262 08863 6716


THE ANNUAL SUPPLEMENT TO THE MORBIDITY AND MORTALITY WEEKLY REPORT IS PUBLISHED BY THE COMMUNICABLE DISEASE CENTER, PUBLIC HEALTH SERVICE, DHEW, ATLANTA, GEORGIA.

DAVID J. SENCER, M.D.
CHIEF, COMMUNICABLE DISEASE CENTER
ALEXANDER D. LANGMUIR, M.D.
CHIEF, EPIDEMIOLOGY BRANCH

IDA L. SHERMAN, M.S.
ACTING CHIEF, STATISTICS SECTION

WITH ERNESTINE TOMLINSON AND MAXINE SPOON.

U. S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
Communicable Disease Center
Atlanta, Georgia 30333
Official Business



POSTAGE AND FEES PAID
U. S. DEPARTMENT OF H. E. W.